

【英文論文】

1. Suyama K, Ohmuraya M, Hirota M, Ozaki N, Ida S, Endo M, Araki K, Gotoh T, Baba H, Yamamura K: C/EBP homologous protein is crucial for the acceleration of experimental pancreatitis. *Biochem Biophys Res Commun* 367: 176-182, 2008
2. Baba Y, Iyama K, Hirashima K, Nagai Y, Yoshida N, Hayashi N, Miyanari N, Baba H: Laminin-332 promotes the invasion of oesophageal squamous cell carcinoma via the PI3K activation. *Br J Cancer* 98: 974-980, 2008
3. Baba Y, Iyama K, Ikeda K, Ishikawa S, Hayashi N, Miyanari N, Sado Y, Ninomiya Y, Baba H: The expression of type IV collagen $\alpha 6$ chain is related to the prognosis in patients with esophageal squamous cell carcinoma. *Ann Surg Oncol* 15: 555-565, 2008
4. Yamamoto M, Yamanaka T, Baba H, Kakeji Y, Maehara Y: The postoperative recurrence and the occurrence of second primary carcinomas in patients with early gastric carcinoma. *J Surg Oncol* 97: 231-235, 2008
5. Hayashi H, Beppu T, Okabe K, Masuda T, Okabe H, Baba H: Risk factors of complications after partial splenic embolization for liver cirrhosis. *Br J Surg* 95: 744-750, 2008
6. Motomura Y, Ikuta Y, Kuronuma T, Komori H, Itoh M, Tsuchihara M, Shirakawa H, Baba H, Nishimura Y, Kinoshita T, Nakatsura T: HLA-A2 and -A24-restricted glypican-3-derived peptide vaccine induces specific CTLs: Preclinical study using mice. *Int J Oncol* 32: 985-990, 2008
7. Baba Y, Haga Y, Hiyoshi Y, Imamura Y, Nagai Y, Yoshida N, Hayashi N, Toyama E, Miyanari N, Baba H: Estimation of physiologic ability and surgical stress (E-PASS) in patients with esophageal squamous cell carcinoma undergoing resection. *Esophagus* 5: 81-86, 2008
8. Hashimoto D, Ohmuraya M, Hirota M, Yamamoto A, Suyama K, Araki K, Baba H, Mizushima N, Yamamura K: Involvement of autophagy in cerulein-induced pancreatitis through trypsinogen activation. *J Cell Biol* 181: 1065-1072, 2008
9. Ishiko T, Beppu T, Sugiyama S, Masuda T, Takahashi M, Komori H, Takamori H, Hirota M, Kanemitsu K, Baba H: Radiofrequency ablation with hand assisted laparoscopic surgery for the treatment of hepatocellular carcinoma in the caudate lobe. *Surg Laparosc Endosc Percutan Tech* 18: 272-276, 2008
10. Yamamoto M, Baba H, Egashira A, Oki E, Ikebe M, Kakeji Y, Maehara Y: Adenocarcinoma of the esophagogastric junction in Japan. *Hepato-Gastroenterol* 55: 103-108, 2008
11. Watanabe A, Kohnoe S, Shimabukuro R, Yamanaka T, Iso Y, Baba H, Higashi H, Orita H, Emi Y, Takahashi I, Korenaga D, Maehara Y: Risk factors associated with surgical site infection in upper and lower gastrointestinal surgery. *Surg Today* 38: 404-412, 2008
12. Hirota M, Kanemitsu K, Takamori H, Chikamoto A, Hayashi N, Horino K, Baba H : Percutaneous trans fistulous pancreatic duct drainage and interventional pancreatojejunostomy as a treatment option for intractable pancreatic fistula. *Am J Surg* 196: 280-284, 2008
13. Fujimura Y, Hirota M, Ichihara A, Takamori H, Baba H: Platelet count as a sensitive and convenient parameter for assessing the prognosis in acute pancreatitis. *Pancreas* 37: 225-227, 2008
14. Nitta H, Wada Y, Irie A, Kobayashi H, Okamoto K, Baba H, Imamura T: Production of C5a by ASP, a serine protease released from *Aeromonas sobria*. *J Immunol* 181: 3602-3608, 2008
15. Sakamoto T, Uezu A, Kawauchi S, Kuramoto T, Makino K, Umeda K, Araki N, Baba H, Nakanishi H: Mass spectrometric analysis of microtubule co-sedimented proteins from rat brain. *Genes Cells* 13: 295-312, 2008
16. Yoshida T, Shiraki N, Baba H, Goto M, Fujiwara S, Kume K, Kume S: The expression patterns of epiplakin1 in pancreas, pancreatic cancer and regenerating pancreas. *Genes Cells* 13: 667-678, 2008
17. Toyama E, Honda S, Baba Y, Ishikawa S, Hayashi N, Miyanari N, Baba H :“Tornado Roux-en-Y” anastomosis in laparoscopy-assisted distal gastrectomy. *Gastric Cancer* 11: 181-185, 2008
18. Imai K, Hirata, S Irie A, Senju S, Ikuta Y, Yokomine K, Harao M, Inoue M, Tsunoda T, Nakatsuru S, Nakagawa H, Nakamura Y, Baba H, Nishimura Y : Identification of a novel tumor-associated antigen, Cadherin 3/P-cadherin, as a possible target for immunotherapy of pancreatic, gastric and colorectal cancers. *Clin Cancer Res* 14: 6487-6495, 2008
19. Masuda T, Beppu T, Ishiko T, Horino K, Baba Y, Mizumoto T, Hayashi H, Okabe H, Horlad H, Doi K, Okabe K, Takamori H, Hirota M, Iyama K and Baba H: Intrahepatic dissemination of hepatocellular carcinoma after local ablation therapy. *J Hepatobiliary Pancreat Surg* 15: 589-595, 2008
20. Takamori H, Hiraoka T, Kanemitsu K, Tsuji T, Tanaka H, Chikamoto A, Beppu T, Hirota M, Baba H:

Long-term outcomes of extended radical resection combined with intraoperative radiation therapy for pancreatic adenocarcinoma. *J Hepatobiliary Pancreat Surg* 15: 603-607, 2008

21. Koga T, Tokunaga E, Sumiyoshi Y, Oki E, Oda S, Takahashi I, Kakeji Y, Baba H, Maehara Y : Detection of circulating gastric cancer cells in peripheral blood using real time quantitative RT-PCR. *Hepato-Gastroenterol* 55: 1131-1135, 2008
22. Harao M, Hirata S, Irie A, Senju S, Nakatsura T, Komori H, Ikuta Y, Yokomine K, Imai K, Inoue M, Harada K, Mori T, Tsunoda T, Nakatsuru S, Daigo Y, Nomori H, Nakamura Y, Baba H, Nishimura Y: HLA-A2-restricted CTL epitopes of a novel lung cancer-associated cancer testis antigen, cell division cycle associated 1, can induce tumor-reactive CTL. *Int J Cancer* 32: 985-998, 2008
23. Koga Y, Yasunaga M, Moriya Y, Akasu T, Fujita S, Yamamoto S, Kozu T, Baba H, Matsumura Y: Detection of colorectal cancer cells from feces using quantitative real-time RT-PCR for colorectal cancer diagnosis. *Cancer Sci* 99: 1977-1983, 2008
24. Hayashi N, Imamura Y, Hiyoshi Y, Takamori H, Beppu T, Hirota M, Baba H: Rapid genotyping of tumor necrosis factor alpha with fluorogenic hybridization probes on the lightcycler. *Clin Exp Med* 8: 217-224, 2008
25. Koga Y, Ishikawa S, Nakamura T, Masuda T, Nagai Y, Takamori H, Hirota M, Kanemitsu K, Baba Y, Baba H: ORP5 (oxysterol-binding protein-related protein-5) is related to invasion and poor prognosis in pancreatic cancer. *Cancer Sci* 99: 2387-2394, 2008
26. Akagi J, Baba H : Prognostic value of CD57+ T lymphocytes in the peripheral blood of patients with advanced gastric cancer. *Int J Oncol* 13: 528-535, 2008
27. Koga Y, Yasunaga M, Katayose S, Moriya Y, Akasu T, Fujita S, Yamamoto S, Baba H, Matsumura Y: Improved recovery of exfoliated colonocytes from feces using newly developed immuno-magnetic beads. *Gastroenterol Res Pract* 2008, 2008
28. Beppu T, Horino K, Komori H, Sugiyama S, Masuda T, Hayashi H, Okabe H, Ohtao R, Imuseung C, Hayahi N, Watanabe M, Baba H: Thermal ablation for colorectal liver metastases. *Thermal Med* 24 3: 83-89, 2008
29. Beppu T, Horino K, Komori H, Masuda T, Hayashi H, Okabe H, Okabe O, Hayashi N, Takamori H, Baba H: Advances in endoscopic surgery for hepatocellular carcinoma. *J Microwave Surg* 26: 68-72, 2008
30. Okuma T, Hirota M, Nitta H, Saito S, Yagi T, Ida S, Okamura S, Chikamoto A, Iyama K, Takamori H, Kanemitsu K, Baba H: Pancreatic schwannoma.: Report of a case. *Surg Today* 38: 266-270, 2008
31. Okuma T, Nagamoto N, Tanaka E, Yoshida Y, Inoue K, Baba H: Repeated Colon Penetration by an Ingested Fish Bone: Report of a case. *Surg Today* 38: 363-365, 2008
32. Nitta H, Hirota M, Okada A, Motomura Y, Chikamoto A, Shibata M, Takamori H, Kanemitsu K, Imamura T, Yamamoto T, Baba H: Coexistence of serous cystadenoma and ductal adenocarcinoma in the pancreas. *Pancreas* 36: 218-219, 2008
33. Toyama E, Nagai Y, Baba Y, Yoshida N, Hayashi N, Miyanari N, Baba H: A case of thoracoscopically resected benign esophageal schwannoma with high uptake on FDG-PET. *Esophagus* 5: 167-170, 2008
34. Imamura Y, Baba Y, Ishikawa S, Hiyoshi Y, Nagai Y, Nakamura T, Hayashi N, Miyanari N, Iyama K, Baba H: Heterogeneous prognosis of patients with T2a tumors according to the tumor depth in the proper muscular layer. *Gastric Cancer* 11: 219-225, 2008
35. Baba Y, Beppu T, Imai K, Masuda T, Iyama K, Sasano H, Baba H: A case of adrenal rest tumor of the liver.: Radiological imaging and immunohistochemical study of steroidogenic enzymes. *Hepatol Res* 38: 1154-1158, 2008
36. Makino K, Umeda K, Uezu A, Hiragami Y, Sakamoto T, Ihn H, Nakanishi H: Identification and characterization of the novel centrosomal protein centlein. *Biochem Biophys Res Com* 366: 958-962, 2008
37. Maruyama K, Harada S, Yokoyama A, Naruse S, Hirota M, Nishimori I, Otsuki M: Association analysis among polymorphisms of the various genes and chronic alcoholic pancreatitis. *J Gastroenterol Hepatol* 23 Suppl: S69-72, 2008
38. Imamura T, Nitta H, Wada Y, Kobayashi H, Okamoto K: Impaired plasma clottability induction through fibrinogen degradation by ASP, a serine protease released from *Aeromonas sobria*. *FEMS Microbiol Lett* 284: 35-42, 2008
39. Saito Y, Yasunaga M, Kuroda J, Koga Y, Matsumura Y: Enhanced distribution of NK012, a polymeric micelle-encapsulated SN-38, and sustained release of SN-38 within tumors can beat a hypovascular tumor. *Cancer Sci* 99: 1258-1264, 2008

40. Mimori K, Fukagawa T, Kosaka Y, Ishikawa K, Iwatuki M, Yokodori T, Hirasaki S, Takatsuno Y, Sakashita H, Ishii H, Sasako M, Mori M: A large-scale study of MT1-MMP as a marker for isolated tumor cells in peripheral blood and bone marrow in gastric cancer cases. *Ann Surg Oncol* 15: 2934-2942, 2008
41. Ishii H, Iwatsuki M, Ieta K, Ohta D, Haraguchi N, Mimori K, Mori M: Cancer stem cells and chemoradiation resistance. *Cancer Sci* 99: 1871-1877, 2008
42. Ibusuki M, Hirota T, Kanemitsu K, Takamori H, Tsuji T: Complete remission of pancreatic cancer after multiple resections of locally pancreatic recurrent sites and liver metastasis. *Surg Today* 38: 563-566, 2008
43. Wang J, Ohmuraya M, Hirota M, Baba H, Zhao G, Takeya M, Araki K, Yamamura K: Expression pattern of serine protease inhibitor Kazal type 3 (Spink3) during mouse embryonic development. *Histochem Cell Biol* 130: 387-397, 2008
44. Ikeda O, Toh Y, Aoki Y, Harimoto N, Taomoto J, Masuda T, Ohga T, Adachi E, Sakaguchi Y, Okamura T, Hirahashi M, Nishiyama K, Baba H: Multiple and metachronous esophageal intramural metastases from a gastric adenocarcinoma: Report of a case. *Gastric Cancer* 11: 119-122, 2008
45. Masuda T, Sakaguchi Y, Toh Y, Aoki Y, Harimoto N, Taomoto J, Ikeda O, Ohga T, Adachi E, Okamura T: Clinical characteristics of gastric cancer with metastasis to the lymph node along the superior mesenteric vein (14v) *Dig Surg* 25: 351-358, 2008
46. Sakaguchi Y, Ikeda O, Toh Y, Aoki Y, Harimoto N, Taomoto J, Masuda T, Ohga T, Adachi E, Okamura T: New technique for the retraction of the liver in laparoscopic gastrectomy. *Surg Endosc* 22: 2532-2534, 2008
47. Ishiko T, Inomata Y, Beppu T, Asonuma H, Okajima H, Ueno M, Takeiti T, Hirota M, Baba H: Age and donor safety in living-donor liver transplant in 110 consecutive cases at 1 institute. *Exp Clin Transplant* 3: 190-193, 2008
48. Koga Y, Yasunaga M, Moriya Y, Akasu T, Fujita S, Yamamoto S, Baba H, Matsumura Y: Detection of the DNA point mutation of colorectal cancer cells isolated from feces stored under different conditions. *Jpn J Clin Oncol* 39: 62-69, 2009
49. Hiyoshi Y, Hayashi N, Imamura Y, Nagai Y, Baba Y, Yoshida N, Toyama E, Watanabe M, Baba H: The relationship between glucose transporter type 1 expression and FDG uptake in esophageal squamous cell carcinoma. *Oncology* 76: 286-292, 2009
50. Hiyoshi Y, Kamohara H, Karashima R, Sato N, Imamura Y, Nagai Y, Yoshida N, Toyama E, Hayashi N, Watanabe M, Baba H: MicroRNA-21 regulates proliferation and invasion in esophageal squamous cell carcinoma. *Clin Cancer Res* 15: 1915-1922, 2009
51. Ida S, Fujiyama Y, Hirota M, Imamura Y, Ozaki N, Suyama K, Haishimoto D, Ohmura M, Tanaka H, Takamori H, Baba H: Significance of endothelial molecular markers in the severity evaluation of acute pancreatitis. *Surg Today* 39: 314-319, 2009
52. Ikuta Y, Hayashida Y, Hirata S, Irie A, Senju S, Nakatsura T, Monji M, Sasaki Y, Baba H, Nishimura Y: Identification of the H2-Kd-restricted CTL epitopes of a tumor-associated antigen, SPARC, which can stimulate antitumor immunity without causing autoimmune disease in mice. *Cancer Sci* 100: 132-137, 2009
53. Toh Y, Sakaguchi Y, Ikeda O, Adachi E, Ohgaki K, Yamashita Y, Oki E, Minami K, Okamura T: A triangulating stapling technique for the cervical esophagogastric anastomosis after esophagectomy.: The technique and the occurrence of leakage and stenosis. *Surg Today* 39: 201-206, 2009
54. Baba Y, Nosho K, Shima K, Irahara N, Gregory J. Kirkner, Ajay Goel, Charles S. Fuchs, Ogino S: AURKA (Aurora-A) expression is independently associated with chromosomal instability in colorectal cancer. *Neoplasia* 11: 418-25, 2009
55. Watanabe M, Yoshida N, Karashima R, Sato N, Hirashima K, Hiyoshi Y, Nagai Y, Iwagami S, Toyama E, Hayashi N, Baba H: Transcervical superior lymph node dissection combined with transhiatal lower esophageal dissection prior to transthoracic esophagectomy-A safe approach for salvage esophagectomy. *J Am Coll Surg* 28: e7-9, 2009
56. Masuda T, Beppu T, Horino K, Komori H, Hayashi H, Okabe H, Otao R, Hasita H, Baba Y, Miyase S, Takamori H, Baba H: Occurrence of hepatocellular carcinoma after a hepatic resection of a hepatoblastoma in an adult patient with hepatitis C virus. *Hepatol Res* 39: 525-30, 2009
57. Nakahara O, Yamao K, Bhatia V, Sawaki A, Mizuno N, Takagi T, Shimizu Y, Noshikawa T, Yatabe Y, Baba H: Usefulness of endoscopic ultrasound-guided fine needle aspiration (EUS-FNA) for intra-abdominal lymphadenopathy of unknown origin. *J Gastroenterol* (in press)
58. Tajika M, Nakamura T, Nakahara O, Kawai H, Komori K, Hirai T, Kato T, Bhatia V, Baba H: Prevalence of

adenomas and carcinomas in the ileal pouch after proctocolectomy in patients with familial adenomatous polyposis. *J Gastrointest Surg* (in press)

59. Hirota M, Kanemitsu K, Takamori H, Chikamoto A, Tanaka H, Sugita H, Sand J, Baba H: Pancreatoduodenectomy using a no-touch isolation technique. *Am J Surg* (in press)
60. Yamamoto M, Baba H, Endo K, Ikeda Y, Toh Y, Kohnoe S, Okamura T, Maehara Y: The detection of tumor cells in the peritoneal cavity with early gastric cancer. *Surg Today* (in press)
61. Hashimoto D, Ohmuraya M, Hirota M, Wang J, Baba H, Yamamura K: Effect of low-molecular-weight trypsin inhibitor, nafamostat mesilate, on trypsin activity within the pancreatic acinar cells. *Pancreas* (in press)
62. Hashimoto D, Takamori H, Sakamoto Y, Watanabe M, Beppu T, Hirota M, Baba H: Is Estimation of physiologicability and surgical stress (E-PASS) able to predict operative morbidity after pancreaticoduodenectomy? *J Hepatobiliary Pancreat Surg* (in press)
63. Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M: A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer. *J Surg Oncol* (in press)
64. Ishikawa S, Shimada S, Miyanari N, Hirota M, Takamori H, Baba H: Pattern of Lymph Node Involvement in Proximal Gastric Cancer. *World J Surg* (in press)
65. Hashimoto D, Watanabe M, Nakahara O, Hirashima K, Hayashi N, Iyama K, Baba H: Gastric metastasis of malignant fibrous histiocytoma diagnosed preoperatively by endoscopic ultrasound-guided fine-needle aspiration biopsy: Report of a case. *Surg Today* (in press)
66. Ida S, Okajima H, Hayashida S, Takeichi T, Asonuma K, Baba H, Inomata Y: Undifferentiated sarcoma of the liver. *Am J Surg* (in press)
67. Hayashi N, Kosuke M, Nagai Y, Baba Y, Imamura Y, Hiyoshi Y, Nakamura T, Yoshida N, Toyama E, Miyanari N, Watanabe M, Baba H: Small gastric submucosal tumour developed in young girl. *Gut* (in press)
68. Hirashima K, Takamori H, Hirota M, Tanaka H, Ichihara A, Sakamoto Y, Ikuta Y, Karashima R, Baba H: Multiple gastrointestinal stomal tumors in neurofibromatosis type 1: report of a case. *Surg Today* (in press)
69. Suyama K, Hayashi N, Shigaki H, Sato N, Hirashima K, Hiyoshi Y, Nagai Y, Sakamoto Y, Yoshida N, Toyama E, Watanabe M, Baba H: Neuroendocrine tumor of the rectum. *Am J Surg* (in press)
70. Imai K, Beppu T, Nakayama Y, Ishiko T, Horino K, Komori H, Masuda T, Hayashi H, Okabe H, Baba Y, Watanabe M, Takamori H, Awai K, Yamashita Y, Baba H: Preoperative prediction of poorly differentiated component in small-sized hepatocellular carcinoma for safe local ablation therapy. *J Surg Oncol* (in press)
71. Maruyama K, Harada S, Yokoyama A, Mizukami S, Naruse S, Hirota M, Nishimori I, Otsuki M: Association analyses of genetic polymorphisms of GSTM1, GSTT1, NQO1, NAT2, LPL, PRSS1, PSTI/Spink1 and CFTR with chronic alcoholic pancreatitis. *Alcohol Clin Exp Res* (in press)
72. Hirota M, Ichihara A, Furuhashi S, Tanaka H, Takamori H, Baba H: Spleen and gastrosplenic ligament preserving distal pancreatectomy under a minimum incision approach assisted by laparoscopy. *J Hepatobiliary Pancreat Surg* (in press)
73. Ikeda O, Sakaguchi Y, Toh Y, Aoki Y, Harimoto N, Taomoto J, Masuda T, Ohga T, Adachi E, Okamura T, Baba H: Advantages of totally laparoscopic distal gastrectomy in comparison with laparoscopy-assisted distal gastrectomy for gastric cancer. *Surg Endosc* (in press)
74. Hiyoshi Y, Watanabe M, Hirashima K, Karashima R, Sato N, Imamura Y, Nagai Y, Yoshida N, Toyama E, Hayashi N, Baba H: p12cdk-2AP1 is associated with tumor progression and poor prognosis in esophageal squamous cell carcinoma. *Oncol Rep* (in press)
75. Iwatsuki M, Fukunaga T, Mimori K, Nakanishi H, Ito S, Ishii H, Yokobori T, Sasako M, Baba H, Mori M: Bone marrow and peripheral blood expression of ID1 in human gastric carcinoma patients is a bona fide indicator of lymph node and peritoneal metastasis. *Br J Cancer* (in press)
76. Mima K, Hirota M, Abe S, Iwatsuki M, Imamura H, Tsuruzoe S, Chikamoto A, Tanaka H, Takamori H, Kanemitsu K, Tagami H, Honda Y, Iyama K, Baba H: Small solid pseudopapillary tumor of the pancreas in a 32-year-old man. *Surg Today* (in press)
77. Hayashi H, Beppu T, Sugita H, Horino K, Komori H, Masuda T, Okabe H, Takamori H, Baba H: Increase in the serum bile acid level predicts the effective hypertrophy of the nonembolized hepatic lobe after right portal vein embolization. *World J Surg* (in press)
78. Kuramoto M, Shimada S, Ikeshima S, Matsuo A, Kuhara H, Kuramoto K, Yagi Y, Matsuda M, Yonemura Y, Baba H: Extensive intraoperative peritoneal lavage (EIPL) as a standard prophylactic strategy for peritoneal

recurrence in patients with gastric carcinoma. *Ann Surg* (in press)

79. Okabe H, Beppu T, Hayashi H, Horino K, Masuda T, Komori H, Ishikawa S, Watanabe M, Takamori H, Iyama K, Baba H: Hepatic stellate cells may relate to the progression of intrahepatic cholangiocarcinoma *Ann Surg Oncol* (in press)
80. Masuda T, Beppu T, Horino K, Komori H, Imseung C, Hayashi H, Okabe H, Horlad H, Takamori H, Baba H: Preoperative tumor marker doubling time is a useful predictor of recurrence and prognosis after hepatic resection of hepatocellular carcinoma. *J Surg Oncol* (in press)