

【英文論文】

1. Koga Y, Yasunaga M, Moriya Y, Akasu T, Fujita S, Yamamoto S, Baba H, Matsumura Y: Detection of the DNA point mutation of colorectal cancer cells isolated from feces stored under different conditions. *Jpn J Clin Oncol* 39: 62-69, 2009
2. Hiyoshi Y, Hayashi N, Imamura Y, Nagai Y, Baba Y, Yoshida N, Toyama E, Watanabe M, Baba H: The relationship between Glucose transporter type 1 expression and FDG uptake in esophageal squamous cell carcinoma. *Oncology* 76:286-292, 2009
3. Hiyoshi Y, Kamohara H, Karashima R, Sato N, Imamura Y, Nagai Y, Yoshida N, Toyama E, Hayashi N, Watanabe M, Baba H: MicroRNA-21 regulates proliferation and invasion in esophageal squamous cell carcinoma. *Clin Cancer Res* 15:1915-22, 2009
4. Ida S, Fujiyama Y, Hirota M, Imamura Y, Ozaki N, Suyama K, Hashimoto D, Ohmuraya M, Tanaka H, Takamori H, Baba H: Significance of endothelial molecular markers in the severity evaluation of acute pancreatitis. *Surg Today* 39:314-9, 2009
5. Ikuta Y, Hayashida Y, Hirata S, Irie A, Senju S, Nakatsura T, Monji M, Sasaki Y, Baba H, Nishimura Y: Identification of the H2-Kd-restricted CTL epitopes of a tumor-associated antigen, SPARC, which can stimulate antitumor immunity without causing autoimmune disease in mice. *Cancer Sci* 100:132-137, 2009
6. Watanabe M, Yoshida N, Karashima R, Sato N, Hirashima K, Hiyoshi Y, Nagai Y, Iwagami S, Toyama E, Hayashi N, Baba H: Transcervical superior lymph node dissection combined with transhiatal lower esophageal dissection prior to transthoracic esophagectomy-A safe approach for salvage esophagectomy. *J Am Coll Surgeons* 208: e7-e9, 2009
7. Hayashi H, Beppu T, Sugita H, Horino K, Komori H, Masuda T, Okabe H, Takamori H, Baba H: Increase in the serum bile acid level predicts the effective hypertrophy of the nonembolized hepatic lobe after right portal vein embolization. *World J Surg* 33 :1933-1940, 2009
8. Iwatsuki M, Fukagawa T, Mimori K, Nakanishi H, Ito S, Ishii H, Yokobori T, Sasako M, Baba H, Mori M: Bone marrow and peripheral blood expression of ID1 in human gastric carcinoma patients is a bona fide indicator of lymph node and peritoneal metastasis. *Br J Cancer* 100:1937-42, 2009
9. Toya R, Murakami R, Yasunaga T, Baba Y, Nishimura R, Morishita S, Nishi J, Beppu T, Baba H, Yamashita Y, Oya N: Radiation therapy for lymph node metastases from hepatocellular carcinoma. *Hepato-Gastroenterol* 26: 476-480, 2009
10. Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M: A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer. *J Surg Oncol* 100: 261-266, 2009
11. Okabe H, Beppu T, Hayashi H, Horino K, Masuda T, Komori H, Ishikawa S, Watanabe M, Takamori H, Iyama K, Baba H: Hepatic stellate cells may relate to the progression of intrahepatic cholangiocarcinoma. *Ann Surg Oncol* 16: 2555-64, 2009
12. Nakahara O, Yamao K, Bhatia V, Sawaki A, Mizuno N, Takagi T, Shimizu Y, Noshikawa T, Yatabe Y, Baba H: Usefulness of endoscopic ultrasound-guided fine needle aspiration (EUS-FNA) for intra-abdominal lymphadenopathy of unknown origin. *J Gastroenterol* 44: 562-7, 2009
13. Chikamoto A, Tsuji T, Nakahara O, Sakamoto Y, Ikuta Y, Tanaka H, Takamori H, Hirota M, Kanemitsu K, Baba H: Cancer cells spread through lymph vessels in the submucosal layer of the common bile duct in gallbladder carcinoma. *J Hepatobiliary Pancreat Surg* 16: 557-61, 2009
14. Ozaki N, Ohmuraya M, Hirota M, Ida S, Wang J, Takamori H, Higashiyama S, Baba H, Yamamura K: Serine Protease inhibitor kazal type I promotes proliferation of pancreatic cancer cells through the epidermal growth factor receptor. *Mol Cancer Res* 7:1572-1580, 2009
15. Akaboshi S, Watanabe S, Hino Y, Sekita H, Araki K, Yamamura K, Oshima M, Ito T, Baba H, Nakao M: HMGA1 is induced by Wnt/ β -catenin pathway and maintains cell proliferation in gastric cancer. *Am J Pathol* 175 :1675-1685, 2009
16. Kuramoto M, Shimada S, Ikeshima S, Matsuo A, Kuhara H, Kuramoto K, Yagi Y, Matsuda M, Yonemura Y, Baba H: Extensive intraoperative peritoneal lavage (EIPL) as a standard prophylactic strategy for peritoneal recurrence in patients with gastric carcinoma. *Ann Surg* 250: 242-6, 2009
17. Ikeda O, Sakaguchi Y, Aoki Y, Harimoto N, Taomoto J, Masuda T, Ohga T, Adachi E, Toh Y, Okamura T, Baba H: Advantages of totally laparoscopic distal gastrectomy over laparoscopically assisted distal gastrectomy for gastric cancer. *Surg Endosc* 23: 2374-2379, 2009

18. Tamura Y, Ikeda O, Nakasone Y, Shiraishi S, Tomiguchi S, Yamashita Y, Takamori H, Baba H: Effect of gravity on drug distribution after port-catheter implantation for hepatic arterial infusion chemotherapy: evaluation of the relationship between the injection posture and intrahepatic perfusion on fused images acquired with a combined SPECT/CT system. *Acad Radiol* 16: 662-8, 2009
19. Tajika M, Nakamura T, Nakahara O, Kawai H, Komori K, Hirai T, Kato T, Bhatia V, Baba H, Yamao K: Prevalence of adenomas and adenocarcinomas in ileal pouch after proctocolectomy for familial adenomatous polyposis. *J Gastrointest Surg* 13 :1266-73, 2009
20. Ishikawa S, Shimada S, Minami N, Hirota M, Takamori H, Baba H: Pattern of lymph node involvement in proximal gastric cancer. *World J Surg* 33: 1687-92, 2009
21. Imai K, Beppu T, Nakayama Y, Ishiko T, Horino K, Komori H, Masuda T, Hayashi H, Okabe H, Baba Y, Watanabe M, Takamori H, Awai K, Yamashita Y, Baba H: Preoperative prediction of poorly differentiated components in small-sized hepatocellular carcinoma for safe local ablation therapy. *J Surg Oncol* 100: 121-6, 2009
22. Hashimoto D, Ohmuraya M, Hirota M, Wang J, Baba H, Yamamura K: Effect of low-molecular weight trypsin inhibitor, nafamostat mesilate, on trypsin activity using the pancreatic acinar cells. *Pancreas* 38: 595-7, 2009
23. Inoue M, Senju S, Hirata S, Irie A, Baba H, Nishimura Y : An in vivo model of priming of antigen-specific human CTL by Mo-DC in NOD/Shi-scid IL2rgamma(null) (NOG) mice. *Immunol Lett* 126: 67-72, 2009
24. Nakamura T, Ishikawa S, Koga Y, Nagai Y, Imamura Y, Ikeda K, Mori T, Nomori H, Baba H: Mutation analysis of Rad18 in human cancer cell lines and non small cell lung cancer tissues. *J Exp Clin Cancer Res* 28:106, 2009
25. Hirota M, Ichihara A, Furuhashi S, Tanaka H, Takamori H, Baba H: Spleen and gastrosplenic ligament preserving distal pancreatectomy under a minimum incision approach assisted by laparoscopy. *J Hepatobiliary Pancreat Surg* 16: 792-5, 2009
26. Hiyoshi Y, Watanabe M, Hirashima K, Karashima R, Sato N, Imamura Y, Nagai Y, Yoshida N, Toyama E, Hayashi N, Baba H: p12cdk-2AP1 is associated with tumor progression and poor prognosis in esophageal squamous cell carcinoma. *Oncol Rep* 22: 35-39, 2009
27. Harao M, Hishinuma S, Tomihawa M, Baba H, Ogata Y: Whole stomach and spleen preserving total pancreatectomy : a new surgical technique for pancreatic cancer. *Hepato-Gastroenterol* 56 :1549-51, 2009
28. Watanabe S, Ueda Y, Akaboshi S, Hino Y, Sekita Y, Nakao M: HMGA2 maintains oncogenic RAS-induced epithelial-mesenchymal transition in human pancreatic cancer cells. *Am J Pathol* 174:854-68, 2009
29. Mimori K, Iwatsuki M, Yokobori T, Mori M: Important matters to identify robust markers for metastasis and recurrence in solid cancer. *Ann Surg Oncol* 16: 1070-1, 2009
30. Yokobori K, Mimori K, Iwatsuki M, Ishii H, Onoyama I, Fukagawa T, Kuwano H, Nakayama I.K, Mori M: p53-Altered FBXW7 Expression Determines Poor Prognosis in Gastric Cancer Cases. *Cancer Res* 69: 3788-94, 2009
31. Kuroda J, Karatsu J, Yasunaga M, Koga Y, Saito Y, Matsumura Y: Potent antitumor effect of SN-38-incorporating polymeric micelle, NK012, against malignant glioma. *Int J Cancer* 124: 2505-11, 2009
32. Nagano T, Yasunaga M, Goto K, Kenmotsu H, Koga Y, Kuroda J, Nishimura Y, Sugino T, Nishiwaki Y, Matsumura Y: Antitumor activity of NK012 combined with cisplatin against small cell lung cancer and intestinal mucosal changes in tumor-bearing mouse after treatment. *Clin Cancer Res* 15: 4348-55, 2009
33. Kuroda J, Karatsu J, Yasunaga M, Koga Y, Kenmotsu H, Sugino T, Matsumura Y: Antitumor effect of NK012, a 7-ethyl-10-hydroxycamptothecin-incorporating polymeric micelle, on U87MG orthotopic glioblastoma in mice compared with irinotecan hydrochloride in combination with bevacizumab. *Clin Cancer Res* 16: 521-9, 2009
34. Noshio K, Shima K, Kure S, Irahara N, Baba Y, Chen L, Kirkner GJ, Fuchs CS, Ogino S: JC virus T-antigen in colorectal cancer is associated with p53 expression and chromosomal instability, independent of CpG island methylator phenotype. *Neoplasia* 11: 87-95, 2009
35. Ogino S, Shima K, Baba Y, Noshio K, Irahara N, Kure S, Chen L, Toyoda S, Kirkner GJ, Wang YL, Giovannucci EL, Fuchs CS: Colorectal cancer expression of PPARγ (peroxisome proliferator- activated receptor-gamma) is associated with good prognosis. *Gastroenterology* 136: 1442-50, 2009
36. Baba Y, Noshio K, Shima K, Irahara N, Kirkner GJ, Goel A, Fuchs CS, Ogino S: AURKA (Aurora-A) expression is independently associated with chromosomal instability in colorectal cancer. *Neoplasia* 11: 418-25, 2009

37. Nosho K, Shima K, Irahara N, Kure S, Firestein R, Baba Y, Chen L, Hazra A, Giovannucci EL, Fuchs CS, Ogino S: SIRT1 histone deacetylase expression is associated with microsatellite instability and cpg island methylator phenotype in colorectal cancer. *Mod Pathol* 22: 922-32, 2009
38. Nosho S, Shima K, Irahara N, Kure S, Baba Y, Kirkner GJ, Chen L, Gokhale S, Hazra A, Spiegelman D, Giovannucci EL, Jaenisch R, Fuchs CS, Ogino S: DNA methyltransferase-3B (DNMT3B) expression may contribute to CpG island methylator phenotype in colorectal cancer. *Clin Cancer Res* 15: 3663-71, 2009
39. Ogino S, Shima K, Nosho K, Irahara N, Baba Y, Wolpin BM, Giovannucci EL, Meyerhardt JA, Fuchs CS: A cohort study of p27 localization in colon cancer, body mass index and patient survival. *Cancer Epidemiol Biomarkers Prev* 18:1849-58, 2009
40. Ogino S, Nosho K, Irahara N, Kure S, Shima K, Baba Y, Toyoda S, Chen L, Kirkner GJ, Wolpin BM, Chan AT, Giovannucci EL, Fuchs CS: A cohort study of cyclin d1 expression and prognosis in 602 colon cancer cases. *Clin Cancer Res* 15: 4431-38, 2009
41. Ogino S, Nosho K, Baba Y, Kure S, Shima K, Irahara N, Toyoda S, Chen L, Giovannucci EL, Meyerhardt JA, Fuchs CS: A cohort study of stmn1 expression in colorectal cancer, body mass index and prognosis. *Am J Gastroenterol* 104: 2047-56, 2009
42. Ogino S, Nosho K, Irahara N, Shima K, Baba Y, Kirkner GJ, Meyerhardt JA, Fuchs CS: Prognostic significance and molecular associations of 18q loss of heterozygosity: A cohort study of 555 microsatellite stable colorectal cancers. *J Clin Oncol* 27: 4591-98, 2009
43. Baba Y, Nosho K, Shima K, Freed E, Irahara N, Philips J, Meyerhardt JA, Hornick JL, Shivdasani RA, Fuchs CS, Ogino S : Relationship of CDX2 loss with molecular features and prognosis in colorectal cancer. *Clin Cancer Res* 15: 4665-73, 2009
44. Ogino S, Nosho K, Shima K, Baba Y, Irahara N, Kirkner GJ, Hazra A, De Vivo I, Giovannucci EL, Meyerhardt JA, Fuchs CS. p21 Expression in Colon Cancer and Modifying Effects of Patient Age and Body Mass Index on Prognosis. *Cancer Epidemiol Biomarkers Prev* 18:2513-21, 2009
45. Ogino S, Nosho K, Irahara N, Meyerhardt JA, Baba Y, Shima K, Glickman JN, Ferrone CR, Mino-Kenudson M, Tanaka N, Dranoff G, Giovannucci EL, Fuchs CS: Lymphocytic reaction to colorectal cancer is associated with longer survival, independent of lymph node count, msi and cpg island methylator phenotype. *Clin Cancer Res* 15:412-20, 2009
46. Nosho K, Kure S, Irahara N, Shima K, Baba Y, Spiegelman D, Meyerhardt JA, Giovannucci EL, Fuchs CS, Ogino S.: A prospective cohort study shows unique epigenetic, genetic, and prognostic features of synchronous colorectal cancers. *Gastroenterology* 137:1609-20, 2009
47. Kure S, Nosho K, Baba Y, Irahara N, Shima K, Ng K, Meyerhardt JA, Giovannucci EL, Fuchs CS, Ogino S: Vitamin D receptor expression is associated with pik3ca and kras mutations in colorectal cancer. *Cancer Epidemiol Biomarkers Prev*:18:2765-72, 2009
48. Masuda T, Beppu T, Horino K, Komori H, Hayashi H, Okabe H, Otao R, Hasita H, Baba Y, Miyase S, Takamori H, Baba H :Occurrence of hepatocellular carcinoma after a hepatic resection of a hepatoblastoma in an adult patient with hepatitis C virus. *Hepatol Res* 39:525-30, 2009
49. Ida S, Okajima H, Hayashida S, Takeichi T, Asonuma K, Baba H, Inomata Y: Undifferentiated sarcoma of the liver. *Am J Surg* 198:e7-e9, 2009
50. Hayashi N, Mima K, Nagai Y, Baba Y, Imamura Y, Hiyoshi Y, Nakamura T, Yoshida N, Toyama E, Miyanari N, Watanabe M, Baba H: Submucosal tumour in a young girl. *Gut* 58:1040, 1090, 2009
51. Suyama K, Hayashi N, Shigaki H, Sato N, Hirashima K, Hiyoshi Y, Nagai Y, Sakamoto Y, Yoshida N, Toyama E, Watanabe M, Baba H: Neuroendocrine tumor of the rectum. *Am J Surg* 198 :e39-e41, 2009
52. Hashimoto D, Watanabe M, Nakahara O, Hirashima K, Hayashi N, Iyama K, Baba H: Gastric metastasis of malignant fibrous histiocytoma diagnosed preoperatively by endoscopic ultrasound-guided fine-needle aspiration biopsy. : Report of a case. *Surg Today* 39:1073-1075, 2009
53. Hirashima K, Takamori H, Hirota M, Tanaka H, Ichihara A, Sakamoto Y, Ikuta Y, Karashima R, Watanabe M, Iyama K, Baba H: Multiple gastrointestinal stromal tumors in neurofibromatosis type 1: report of a case. *Surg Today*. 39:979-83, 2009
54. Ohmuraya M, Ozaki N, Hirota M, Baba H, Yamamura K: Serine protease inhibitor, Kazal type 1 (SPINK 1): Beyond the trypsin inhibitor. *Current Enzyme Inhibition* 5: 110-116, 2009
55. Horino K, Beppu T, Komori H, Imseung C, Masuda T, Hayashi H, Okabe H, Otao R, Hayashi N, Ishiko H, Takamori H, Baba H: Progress in endoscopic ablation for hepatocellular carcinoma. *J Microwave Surg* 27:

49-54, 2009

56. Otao R, Beppu T, Ishiko T, Horino K, Komori H, Sugiyama S, Masuda T, Hayashi H, Okabe H, Imseung C, Hayashi N, Watanabe M, Takamori H, Baba H : Thermal ablation for non-colorectal liver metastases. *Thermal Med* 25: 35-41, 2009
57. Iwatsuki M, Mimori K, Yokobori T, Ishi H, Beppu T, Nakamori S, Baba H, Mori M: The epithelial mesenchymal transition in cancer development and its clinical significance. *Cancer Sci* 101:293-9, 2010
58. Imamura Y, Hirota M, Ida S, Hayashi N, Watanabe M, Takamori H, Awai K, Baba H: Significance of renal rim grade on computed tomography in severity evaluation of acute pancreatitis. *Pancreas* 39:41-6, 2010
59. Imamura Y, Ishikawa S, Sato N, Karashima R, Hiyoshi Y, Nagai Y, Koga Y, Hayashi N, Watanabe M, Yamada G, Baba H: Adenoviral oncolytic suicide gene therapy for a peritoneal dissemination model of gastric cancer in mice. *Ann Surg Oncol* 17:643-652, 2010
60. Iwatsuki M, Mimori K, Sato T, Toh H, Yokobori T, Tanaka F, Ishikawa K, Baba H, Mori M: Overexpression of SUGT1 in human colorectal cancer and its clinicopathological significance. *Int J Oncol* 36:569-575, 2010
61. Sawayama H, Hayashi N, Honda S, Baba Y, Toyama E, Watanabe M, Takamori H, Beppu T, Baba H: Treatment results of FOLFOX chemotherapy before surgery for lymph node metastasis of advanced colorectal cancer with synchronous liver metastasis: the status of LN metastasis and vessel invasions at the primary site in patients who responded to FOLFOX. *Int J Clin Oncol* 15: 70-76, 2010
62. Hayashi H, Beppu T, Sugita H, Masuda T, Okabe H, Takamori H, Baba H: Serum HGF and TGF- β 1 levels after right portal vein embolization. *Hepatol Res* 40: 311-317, 2010
63. Iwatsuki M, Mimori K, Ishii H, Yokobori T, Takatsuno Y, Sato T, Onoyama I, Nakayama K.I, Baba H, Mori M: Loss of fbw7, a cell cycle regulating gene, in colorectal cancer: clinical significance. *Int J Cancer* 126:1828-37, 2010
64. Yamamoto M, Baba H, Endo K, Ikeda Y, Toh Y, Kohnoe S, Okamura T, Maehara Y: The detection of tumor cells in the peritoneal cavity with early gastric cancer. *Surg Today* 126:1828-37, 2010
65. Hashimoto D, Takamori H, Sakamoto Y, Watanabe M, Beppu T, Hirota M, Baba H: Is an estimation of Physiologic ability and surgical stress (E-PASS) able to predict operative morbidity after pancreaticoduodenectomy? *J Hepatobiliary Pancreat Surg* 17:132-138, 2010
66. Nakahara O, Takamori H, Tanaka H, Sakamoto Y, Ikuta Y, Furuhashi S, Watanabe M, Beppu T, Hirota M, Kanemitsu K, Baba H: Clinical significance of dihydropyrimidine dehydrogenase and thymidylate synthase expression in patients with pancreatic cancer. *Int J Clin Oncol* 15:39-45, 2010
67. Sawaki A, Yamada Y, Kanda T, Doi T, Koseki M, Baba H, Sun YN, Murakami K, Nishida T: Phase II study of motesanib in Japanese patients with advanced gastrointestinal stromal tumors with prior exposure to imatinib mesylate. *Canver Chemother Pharmacol* 65: 961-967, 2010
68. Yokomine K, Senju S, Nakatsura T, Irie A, Hayashida Y, Ikuta Y, Harao M, Imai K, Baba H, Iwase H, Nomori H, Takahashi K, Daigo Y, Tsunoda T, Nakamura Y, Sasaki Y, Nishimura Y: The forkhead box M1 transcription factor as a candidate of target for anti-cancer immunotherapy. *Int J Cancer* 126: 2153-63, 2010
69. Beppu T, Iwatsuki M, Okabe H, Okabe K, Masuda T, Hayashi H, Sugiyama S, Horino K, Komori H, Hayashi N, Takamori H, Ishiko H, Baba H: A new approach to percutaneous transhepatic portal embolization using ethanolamine oleate. *J Gastroenterol* 45: 211-7, 2010
70. Ozawa S, Tachimori Y, Baba H, Matsubara H, Muro K, Numasaki H, Oyama T, Shimoda M, Takeuchi H, Tanaka O, Teshima T, Udagawa H, Uno T, Barron JP: Comprehensive registry of esophageal cancer in Japan, 2002. *Esophagus* 7: 7-22, 2010
71. Suyama K, Takamori H, Yamanouchi E, Tanaka H, Sakamoto Y, Ikuta Y, Maki Y, Sakurai K, Hirota M, Baba H: Recanalization of obstructed cholea chojejunostomy using magnet compression anastomosis technique. *Am J Gastroenterol* 105:230-1, 2010
72. Ogino S, Noshio K, Irahara N, Shima K, Baba Y, Kirkner GJ, Mino-Kenudson M, Giovannucci EL, Meyerhardt JA, Fuchs CS. Negative lymph node count is associated with survival of colorectal cancer patients, independent of tumoral molecular alterations and lymphocytic reaction. *Am J Gastroenterol* 105: 420-33, 2010
73. Irahara N, Noshio K, Baba Y, Shima K, Lindeman NI, Hazra A, Schernhammer ES, Hunter DJ, Fuchs CS, Ogino S: Precision of pyrosequencing assay to measure line-1 methylation in colon cancer, normal colonic mucosa and peripheral blood cells. *J Mol Diagn* 12:177-83, 2010

74. Baba Y, Noshō K, Shima K, Goessling W, Chan AT, Ng K, Chan JA, Giovannucci EL, Fuchs CS, Ogino S: PTGER2 overexpression in colorectal cancer is associated with microsatellite instability, independent of CpG island methylator phenotype. *Cancer Epidemiol Biomarkers Prev* 19: 822-3, 2010
75. Akagi J, Baba H: PSK may suppress CD57-positive T cells to improve survival of advanced gastric cancer patients. *Int J Clin Oncol* 15:145-52, 2010
76. Ishimoto T, Oshima H, Oshima M, Kai K, Baba H, Saya H, Nagano O: CD44⁺ slow-cycling tumor cell expansion is triggered by the cooperative actions of Wnt and prostaglandin E₂ in gastric tumorigenesis. *Cancer Sci* 101:673-8, 2010
77. Miyamoto Y, Futamura M, Kitamura N, Nakamura Y, Baba H: Identification of UNC5A as a novel transcriptional target of suppressor p53 and a regulator of apoptosis. (equal contribution) *Int J Oncol* 36: 1253-60, 2010
78. Hayashi H, Beppu T, Okabe K, Masuda T, Okabe H, Ishiko T, Baba H: Therapeutic factors considered from a preoperative splenic volume for a prolonged increase in platelet count after partial splenic embolization for liver cirrhosis. *J Gastroenterol* 45:554-559, 2010
79. Hirota M, Kanemitsu K, Takamori H, Chikamoto A, Tanaka H, Sugita H, Sand J, Baba H: Pancreatoduodenectomy using a no-touch isolation technique. *Am J Surg* (in press publish online PMID: 19095210)
80. Yamada Y, Ikuta Y, Nosaka K, Miyanari N, Hayashi N, Mitsuya H, Baba H: Successful treatment of cisplatin overdose with plasma exchange. *Case Rep Med* (in press publish online PMID: 20300587)
81. Wang J, Ohmuraya M, Suyama K, Hirota M, Ozaki N, Baba H, Nakagata N, Araki K, Yamamura K: Relationship of strain dependent susceptibility to experimentally induced acute pancreatitis with regulation of Prss1 and Spink3 expression. *Lab Invest* (in press publish online PMID:20157294)
82. Hirashima K, Baba Y, Watanabe M, Karashima R, Sato N, Imamura Y, Hiyoshi Y, Nagai Y, Hayashi N, Iyama K, Baba H: Phosphorylated mTOR expression is associated with poor prognosis for patients with esophageal squamous cell carcinoma. *Ann Surg Oncol* (in press publish online PMID: 20339946)
83. Masuda T, Beppu T, Horino K, Komori H, Imseung C, Hayashi H, Okabe H, Horlad H, Takamori H, Baba H: Preoperative tumor marker doubling time is a useful predictor of recurrence and prognosis after hepatic resection of hepatocellular carcinoma. *J Surg Oncol* (in press publish online PMID: 19937994)
84. Komori H, Beppu T, Baba Y, Horino K, Imsung C, Masuda T, Hayashi H, Okabe H, Ootao R, Watanabe M, Takamori H, Iyama K, Baba H: Histological liver injury and surgical outcome after FOLFOX followed by a hepatectomy for colorectal liver metastases in Japanese patients. *Int J Clin Oncol* (in press publish online PMID: 20238233)
85. Iwatsuki M, Ozawa H, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M: FANCD2 mRNA Over-expression is a bona-fide indicator of lymph node metastasis in human colorectal cancer. *Ann Surg Oncol* (in press publish online PMID: 20339950)
86. Hashimoto D, Takamori H, Sakamoto Y, Tanaka H, Hirota M, Baba H: Can the estimation of physiologic ability and surgical stress (E-PASS) scoring system predict operative morbidity after distal pancreatectomy? *Surg Today* (in press)
87. Nakahara O, Takamori H, Tanaka H, Sakamoto Y, Ikuta Y, Furuhashi S, Watanabe M, Beppu T, Hirota M, Kanemitsu K, Baba H: Expression levels of dihydropyrimidine dehydrogenase and thymidylate synthase in patient with pancreatic cancer. *Int J Clin Oncol* (in press)
88. Beppu T, Ishiko T, Chikamoto A, Komori H, Masuda T, Hayashi H, Okabe H, Otao R, Sugiyama S, Nasu J, Horino K, Takamori H, Baba H: Liver hanging maneuver decrease blood loss and operative time in a right-side hepatectomy. *Hepato-Gastroenterol* (in press)
89. Chikamoto A, Beppu T, Masuda T, Otao R, Okabe H, Hayashi H, Sugiyama S, Watanabe M, Ishiko T, Takamori H, Baba H: Amount of operative blood loss affects the long-term outcome after liver resection for hepatocellular carcinoma. *Hepato-Gastroenterol* (in press)
90. Horino K, Beppu T, Komori H, Masuda T, Hayashi H, Okabe H, Takamori H, Baba H: Evaluation of the mass forming intrahepatic cholangiocarcinoma with viral hepatitis. *Hepato-Gastroenterol* (in press)
91. Masuda T, Beppu T, Muzumoto T, Ishiko T, Chikamoto A, Hayaashi H, Okabe H, Otao R, Hasita H, Takamori H, Baba H: Hybrid ablation using percutaneous and endoscopic approach for multinodular hepatocellular carcinomas running head: Hybrid ablation for hepatocellular carcinoma. *Hepato-Gastroenterol* (in press)
92. Okabe K, Beppu T, Masuda T, Hayashi H, Okabe H, Komori H, Horino K, Sugiyama S, Ishiko T, Takamori H, Yamanaka T, Baba H: Portal vein embolization can prevent intrahepatic metastases to non-embolized liver.

Hepato-Gastroenterol (in press)

93. Ida S, Ohmuraya M, Hirota M, Ozaki N, Hiramatsu S, Uehara H, Takamori H, Araki K, Baba H, Yamamura K: Chronic pancreatitis in mice by treatment with choline-deficient ethionine-supplemented diet. *Exp Anim* (in press)
94. Beppu T, Hayashi N, Masuda T, Komori H, Horino K, Hayashi H, Okabe H, Baba Y, Kinoshita K, Watanabe M, Takamori H, Baba H: FOLFOX enable resectability and excellent prognosis for initially unresectable colorectal liver metastases. *Anticancer Res* (in press)
95. Ishiko T, Inomata Y, Beppu T, Asonuma K, Okajima H, Takeiti T, Yamamoto H, Baba H : An improved technique for liver transection using a new device for soft coagulation in living donor hepatectomy. *Hepato-Gastroenterol* (in press)
96. Iwatsuki M, Mimori K, Fukagawa T, Ishii H, Yokobori T, Sasako M, Baba H, Mori M: The clinical significance of vimentin-expressing gastric cancer cells in bone marrow. *Ann Surg Oncol* (in press)
97. Chan AT, Baba Y: Cathepsin B expression and survival after diagnosis of colorectal cancer. *Gastroenterology* (in press)
98. Tahara K, Mimori K, Iinuma H, Iwatsuki M, Yokobori T, Ishii H, Anai H, Kitano S, Mori M: Serum matrix-metalloproteinase-1 is a bona-fide prognostic marker for colorectal cancer. *Ann Surg Oncol* (in press)
99. Yokobori T, Mimori K, Ishii H, Iwatsuki M, Tanaka F, Kamohara Y, Ieta K, Kita Y, Doki Y, Kuwano H, Mori M: Clinical significance of stanniocalcin 2 as a prognostic marker in gastric cancer. *Ann Surg Oncol* (in press)
100. Kita Y, Mimori K, Iwatsuki M, Yokobori T, Tanaka F, Ishii H, Natsugoe S, Mori M: STC2: A predictive marker for lymph node metastasis in esophageal squamous cell carcinoma. *Ann Surg Oncol*. (in press)
101. Irahara N, Baba Y, Nosho K, Shima K, Yan L, Dias-Santagata D, Iafrate AJ, Fuchs CS, Haigis KM, Ogino S: NRAS mutations are rare in colorectal cancer. *Diagn Mol Pathol* (in press)
102. Firestein R, Shima K, Nosho K, Irahara N, Baba Y, Bojarski E, Giovannucci EL, Hahn WC, Fuchs CS, Ogino S: CDK8 expression in 470 colorectal cancers in relation to b-catenin activation, other molecular alterations and patient survival. *Int J Cancer* (in press)
103. Baba Y, Nosho K, Shima K, Irahara N, Chan AT, Meyerhardt JA, Chung DC, Giovannucci EL, Fuchs CS, Ogino S: HIF1A overexpression is associated with poor prognosis in a cohort of 731 colorectal cancers. *Am J Pathol* (in press)
104. Shima K, Nosho K, Baba Y, Cantor M, Giovannucci EL, Fuchs CS, Ogino S: Prognostic significance and molecular associations of CDKN2A (p16) promoter methylation and loss of expression in colorectal cancer. *Int J Cancer* (in press)
105. Baba Y, Huttenhower C, Nosho K, Tanaka N, Shima K, Hazra A, Schernhammer ES, Hunter DJ, Giovannucci EL, Fuchs CS, Ogino S: Epigenomic diversity of colorectal cancer indicated by Line-1 methylation in a database of 869 tumors. *Mol Cancer* (in press)
106. Mima K, Hirota M, Abe S, Iwatsuki M, Imamura H, Tsuruzoe S, Chikamoto A, Tanaka H, Takamori H, Kanemitsu K, Tagami H, Honda Y, Iyama K, Baba H: Small solid pseudopapillary tumor of the pancreas in a 32-year-old man. *Surg Today* (in press)
107. Masuda T, Beppu T, Ikeda K, Ishiko T, Chikamoto A, Hayashi H, Okabe H, Otao R, Takamori H, Namimoto T, Iyama K, Baba H: Pigmented hepatocellular adenoma: Report of a case. *Surg Today* (in press)
108. Hashimoto D, Arita T, Takamori H, Kuroki H, Motomura Y, Ishikawa S, Inayoshi A, Udaka N, Beppu T, Hirota M, Yagi Y, Baba H: Acute afferent loop necrosis after Roux-en-Y cholangiojejunostomy. *Clin J Gastroenterol* (in press)
109. Hasita H, Komohara Y, Okabe H, Masuda T, Ohnishi K, Lei XF, Beppu T, Baba H, Takeya M: Significance of alternatively activated macrophages in patients with intrahepatic cholangiocarcinoma. *Cancer Sci* (in press)
110. Koga Y, Yasunaga M, Takahashi A, Kuroda J, Moriya Y, Akasu Y, Fujita S, Yamamoto S, Baba H, Matsumura Y: MicroRNA expression profiling of exfoliated colonocytes isolated from feces for colorectal cancer screening. *Cancer Prevention Res* (in press)
111. Imamura Y, Hayashi N, Sato N, Kinoshita K, Kurashige J, Saito S, Hirashima K, Karashima R, Hiyoshi Y, Nagai Y, Watanabe M, Baba H: Extensive lymphatic spread of cancer cells in patients with thoracic esophageal squamous cell carcinoma: Detection of CEA-mRNA in the 3-field lymph nodes. *J Surg Oncol* (in press)

112. Ishihara S, Honda Y, Asato T, Nonaka M, Nakagawa S, Hirashima K, Hayashi N, Baba H, Iyama KI : Interdigitating dendritic cell sarcoma of the ileum recurred in multiple lymph nodes and duodenum three years after operation without chemotherapy. *Pathol Res Pract* (in press)
113. Ishikawa S, Nagai Y, Masuda T, Koga Y, Nakamura T, Imamura Y, Takamori H, Hirota M, Funakosi A, Fukushima M, Baba H: The role of oxysterol binding protein-related protein 5 in pancreatic cancer. *Cancer Sci* (in press)
114. Inoue M, Senju S, Hirata S, Ikuta Y, Hayashida Y, Irie A, Harao M, Imai K, Tomita Y, Tsunoda T, Furukawa Y, Ito T, Nakamura Y, Baba H, Nishimura Y: Identification of SPARC as a candidate target antigen for immunotherapy of various cancers. *Int J Cancer* (in press)