

【英文論文】

1. Muro K, Boku N, Shimada Y, Tsuji A, Sameshima S, Baba H, Satoh T, Denda T, Ina K, Nishina T, Yamaguchi K, Takiguchi H, Esaki T, Tokunaga S, Kuwano H, Komatsu Y, Watanabe M, Hyoso I, Morita S, Sugihara K: Irinotecan plus S-1 (IRIS) versus fluorouracil and folinic acid plus irinotecan (FOLFIRI) as second-line chemotherapy for metastatic colorectal cancer: a randomised phase 2/3 non-inferiority study (FIRIS study). *Lancet Oncol* 11:853-60, 2010
2. Baba Y, Nosho K, Shima K, Huttenhoewr C, Tanaka N, Hazra A, Giovannucci EL, Fuchs CS, Ogino S: Hypomethylation of the IGF2 DMR in colorectal tumors, detected by bisulfite pyrosequencing, is associated with poor prognosis. *Gastroenterology* 139:1855-64, 2010
3. Kuroda J, Karatsu J, Yasunaga M, Koga Y, Kenmotsu H, Sugino T, Matsumura Y: Antitumor effect of NK012, a 7-ethyl-10-hydroxycamptothecin-incorporating polymeric micelle, on U87MG orthotopic glioblastoma in mice compared with irinotecan hydrochloride in combination with bevacizumab. *Clin Cancer Res* 16:521-9, 2010
4. Nosho K, Baba Y, Tanaka N, Shima K, Hayashi M, Meyerhardt JA, Giovannucci EL, Dranoff G, Fuchs CS, Ogino S: Tumor-infiltrating T-cell subsets, molecular changes in colorectal cancer and prognosis: cohort study and literature review. *J Pathol* 222:350-66, 2010
5. Ogino S, Nosho K, Irahara N, Shima K, Baba Y, Kirkner GJ, Mino-Kenudson M, Giovannucci EL: Negative lymph node count is associated with survival of colorectal cancer patients, independent of tumoral molecular alterations and lymphocytic reaction. *Am J Gastroenterol* 105:420-33, 2010
6. Suyama K, Takamori H, Yamanouchi E, Tanaka H, Sakamoto Y, Ikuta Y, Maki Y, Sakurai K, Hirota M, Baba H: Recanalization of obstructed cholecystojejunostomy using magnet compression anastomosis technique. *Am J Gastroenterol* 105:230-1, 2010
7. Koga Y, Yasunaga M, Takahashi A, Kuroda J, Moriya Y, Akasu Y, Fujita S, Yamamoto S, Baba H, Matsumura Y: MicroRNA expression profiling of exfoliated colonocytes isolated from feces for colorectal cancer screening. *Cancer Prev Res* 3:1435-42, 2010
8. Baba Y, Nosho K, Shima K, Irahara N, Chan AT, Meyerhardt JA, Chang DC, Giovannucci EL, Fuchs CS, Ogino S: HIF1A overexpression is associated with poor prognosis in a cohort of 731 colorectal cancers. *Am J Pathol* 176: 2292-301, 2010
9. Tanaka N, Huttenhoewr C, Nosho K, Baba Y, Shima K, Quackenbush J, Haigis KM, Giovannucci EL, Fuchs CS, Ogino S: Novel application of structural equation modeling to correlation structure analysis of cpg island methylation in colorectal cancer. *Am J Pathol* 177:2731-40, 2010
10. Takahashi E, Nagano O, Ishimoto T, Yae T, Suzuki Y, Shinoda T, Nakamura S, Niwa S, Ikeda S, Koga H, Tanihara H, Saya H: Tumor necrosis factor- α regulates transforming growth factor- β -dependent epithelial-mesenchymal transition by promoting hyaluronan-CD44-moesin interaction. *J Biol Chem* 285: 4060-73, 2010
11. Yokomine K, Senju S, Nakatsura T, Irie A, Hayashida Y, Ikuta Y, Harao M, Imai K, Baba H, Iwase H, Nomori H, Takahashi K, Daigo Y, Tsunoda T, Nakamura Y, Sasaki Y, Nishimura Y: The forkhead box M1 transcription factor as a candidate of target for anti-cancer immunotherapy. *Int J Cancer* 126:2153-63, 2010
12. Firestein R, Shima K, Nosho K, Irahara N, Baba Y, Bojarski E, Giovannucci EL, Hahn WC, Fuchs CS, Ogino S: CDK8 expression in 470 colorectal cancers in relation to b-catenin activation, other molecular alterations and patient survival. *Int J Cancer* 126:2863-73, 2010
13. Iwatsuki M, Mimori K, Ishii H, Yokobori T, Takatsuno Y, Sato T, Onoyama I, Nakayama K.I, Baba H, Mori M: Loss of FBXW7, a cell cycle regulating gene, in colorectal cancer: clinical significance. *Int J Cancer* 126:1828 -37, 2010
14. Inoue M, Senju S, Hirata S, Ikuta Y, Hayashida Y, Irie A, Harao M, Imai K, Tomita Y, Tsunoda T, Furukawa Y, Ito T, Nakamura Y, Baba H, Nishimura Y: Identification of SPARC as a candidate target antigen for immunotherapy of various cancer. *Int J Cancer* 127:1393-1403, 2010
15. Wang J, Ohmuraya M, Suyama K, Hirota M, Ozaki N, Baba H, Nakagata N, Araki K, Yamamura K: Relationship of strain dependent susceptibility to experimentally induced acute pancreatitis with regulation of Prss1 and Spink3 expression. *Lab Invest* 90: 654-664, 2010
16. Kitamura N, Nakamura Y, Miyamoto Y, Miyamoto T, Kabu K, Yoshida M, Futamura M, Ichinose S, Arakawa H: Mieap, a p53-inducible protein, controls mitochondrial quality by repairing or eliminating unhealthy mitochondria. *Plos One* 6:e16060, 2010

17. Miyamoto Y, Kitamura N, Nakamura Y, Futamura M, Miyamoto T, Yoshida M, Ono M, Ichinose S, Arakawa H: Possible existence of lysosome-like organella within mitochondria and its role in mitochondrial quality control. *Plos One* 6: e16054, 2010
18. Baba Y, Noshio K, Shima K, Meyerhardt JA, Chan AT, Engelman JA, Cantley LC, Loda M, Giovannucci EL, Fuchs CS, Ogino S: Prognostic significance of AMP-activated protein kinase expression and modifying effect of MAPK3/1 in colorectal cancer. *Br J cancer* 103:1025-33, 2010
19. Baba Y, Noshio K, Shima K, Goessling W, Chan AT, Ng K, Chan JA, Giovannucci EL, Fuchs CS, Ogino S: PTGER2 overexpression in colorectal cancer is associated with microsatellite instability, independent of cpg island methylator phenotype. *Cancer Epidemiol Biomarkers Prev* 19:822-3, 2010
20. Chan AT, Baba Y, Shima K, Chung DC, Hung KE, Mahmood U, Madden K, Poss K, Ranieri A, Shue D, Kucherlapati R, Fuchs CS, Ogino S: Cathepsin B expression and survival in colon cancer: implications for molecular detection of neoplasia. *Cancer Epidemiol Biomarkers Prev* 19:2777-85, 2010
21. Sugita H, Kaneki M, Furuhashi S, Hirota M, Takamori H, Baba H: Nitric oxide inhibits proliferation and invasion of pancreatic cancer cells through degradation of insulin receptor substrate-1 protein. *Mol Cancer Res* 8:1152-63, 2010
22. Baba Y, Huttenhower C, Noshio K, Tanaka N, Shima K, Hazra A, Schernhammer ES, Hunter DJ, Giovannucci EL, Fuchs CS, Ogino S: Epigenomic diversity of colorectal cancer indicated by Line-1 methylation in a database of 869 tumors. *Mol Cancer* 27:125, 2010
23. Iwatsuki M, Ozawa H, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M: FANCD2 mRNA overexpression is a bona-fide indicator of lymph node metastasis in human colorectal cancer. *Ann Surg Oncol* 17:2341-8, 2010
24. Iwatsuki M, Mimori K, Fukagawa T, Ishii H, Yokobori T, Sasako M, Baba H, Mori M: The clinical significance of vimentin-expressing gastric cancer cells in bone marrow. *Ann Surg Oncol* 17:2526-33, 2010
25. Imamura Y, Ishikawa S, Sato N, Karashima R, Hiyoshi Y, Nagai Y, Koga Y, Hayashi N, Watanabe M, Yamada G, Baba H: Adenoviral oncolytic suicide gene therapy for a peritoneal dissemination model of gastric cancer in mice. *Ann Surg Oncol* 17:643-652, 2010
26. Hirashima K, Baba Y, Watanabe M, Karashima R, Sato N, Imamura Y, Hiyoshi Y, Nagai Y, Hayashi N, Iyama K, Baba H: Phosphorylated mTOR expression is associated with poor prognosis for patients with esophageal squamous cell carcinoma. *Ann Surg Oncol* 17:2486-2493, 2010
27. Yokobori T, Mimori K, Ishii H, Iwatsuki M, Iwatsuki M, Kamohara Y, Ieta K, Kita Y, Doki Y, Kuwano H, Mori M: Clinical significance of stanniocalcin 2 as a prognostic marker in gastric cancer. *Ann Surg Oncol* 17:2601-7, 2010
28. Tahara K, Mimori K, Iinuma H, Iwatsuki M, Yokobori T, Ishii H, Anai H, Kitano S, Mori M: Serum matrix-metalloproteinase-1 is a bona-fide prognostic marker for colorectal cancer. *Ann Surg Oncol* 17:3362-9, 2010
29. Ishikawa S, Nagai Y, Masuda T, Koga Y, Nakamura T, Imamura Y, Takamori H, Hirota M, Funakoshi A, Fukushima M, Baba H: The role of oxysterol binding protein-related protein 5 in pancreatic cancer. *Cancer Sci* 101:898-905, 2010
30. Iwatsuki M, Mimori K, Yokobori T, Ishii H, Beppu T, Nakamori S, Baba H, Mori M: The epithelial mesenchymal transition in cancer development and its clinical significance. *Cancer Sci* 101:293-9, 2010
31. Ishimoto T, Oshima H, Oshima M, Kai K, Baba H, Saya H, Nagano O: CD44⁺ slow-cycling tumor cell expansion is triggered by the cooperative actions of Wnt and prostaglandin E₂ in gastric tumorigenesis. *Cancer Sci* 101:673-8, 2010
32. Hasita H, Komohara Y, Okabe H, Masuda T, Ohnishi K, Lei XF, Beppu T, Baba H, Takeya M: Significance of alternatively activated macrophages in patients with intrahepatic cholangiocarcinoma. *Cancer Sci* 101:1913-9, 2010
33. Tomita Y, Harao M, Senju S, Imai K, Hirata S, Irie A, Inoue M, Hayashida Y, Yoshimoto K, Shiraiishi K, Mori T, Nomori H, Kohrogi H, Nishimura Y: Peptides derived from human insulin-like growth factor-II mRNA binding protein 3 can induce human leukocyte antigen-A2-restricted cytotoxic T lymphocytes reactive to cancer cells. *Cancer Sci* 102:71-8, 2010
34. Irahara N, Noshio K, Baba Y, Shima K, Lindeman NI, Hazra A, Schernhammer ES, Hunter DJ, Fuchs CS, Ogino S: Precision of pyrosequencing assay to measure line-1 methylation in colon cancer, normal colonic mucosa and peripheral blood cells. *J Mol Diagn* 12:177-83, 2010
35. Beppu T, Iwatsuki M, Okabe H, Okabe K, Masuda T, Hayashi H, Sugiyama S, Horino K, Komori H, Hayashi

- N, Takamori H, Ishiko H, Baba H: A new approach to percutaneous transhepatic portal embolization using ethanalamine oleate. *J Gastroenterol* 45:211-7, 2010
36. Ikuta Y, Takamori H, Ikeda O, Tanaka H, Sakamoto Y, Hashimoto D, Ozaki N, Nakahara O, Furuhashi S, Abe S, Beppu T, Shimada S, Yamshita Y, Baba H: Detection of liver metastases secondary to pancreatic cancer: utility of combined helical computed tomography during arterial portography with biphasic computed tomography-assisted hepatic arteriography. *J Gastroenterol* 45:1241-6, 2010
 37. Hayashi H, Beppu T, Okabe K, Masuda T, Okabe H, Ishiko T, Baba H: Therapeutic factors considered from a preoperative splenic volume for a prolonged increase in platelet count after partial splenic embolization for liver cirrhosis. *J Gastroenterol* 45:554-559, 2010
 38. Imamura Y, Hirota M, Ida S, Hayashi N, Watanabe M, Takamori H, Awai K, Baba H: Significance of renal rim grade on computed tomography in severity evaluation of acute pancreatitis. *Pancreas* 39:41-6, 2010
 39. Sawaki A, Yamada Y, Kanda T, Doi T, Koseki M, Baba H, Sun YN, Murakami K, Nishida T: Phase II study of motesanib in Japanese patients with advanced gastrointestinal stromal tumors with prior exposure to imatinib mesylate. *Cancer Chemother Pharmacol* 65:961-967, 2010
 40. Imamura Y, Hayashi N, Sato N, Kinoshita K, Kurashige J, Saito S, Hirashima K, Karashima R, Hiyoshi Y, Nagai Y, Watanabe M, Baba H: Extensive lymphatic spread of cancer cells in patients with thoracic esophageal squamous cell carcinoma: Detection of CEA-mRNA in the 3-field lymph nodes. *J Surg Oncol* 102:509-15, 2010
 41. Masuda T, Beppu T, Horino K, Komori H, Imseung C, Hayashi H, Okabe H, Horlad H, Takamori H, Baba H: Preoperative tumor marker doubling time is a useful predictor of recurrence and prognosis after hepatic resection of hepatocellular carcinoma. *J Surg Oncol* 102:490-6, 2010
 42. Miyamoto Y, Futamura M, Kitamura N, Nakamura Y, Baba H: Identification of UNC5A as a novel transcriptional target of suppressor p53 and a regulator of apoptosis. (equal contribution) *Int J Oncol* 36:1253-60, 2010
 43. Iwatsuki M, Mimori K, Sato T, Toh H, Yokobori T, Tanaka F, Ishikawa K, Baba H, Mori M: Overexpression of SUGT1 in Human Colorectal Cancer and its clinicopathological significance. *Int J Oncol* 36:569-575, 2010
 44. Hirota M, Kanemitsu K, Takamori H, Chikamoto A, Tanaka H, Sugita H, Sand J, Baba H: Pancreatoduodenectomy using a no-touch isolation technique. *Am J Surg* 199:e65-e68, 2010
 45. Watanabe M, Nagai Y, Kinoshita K, Saito S, Kurashige J, Karashima R, Hirashima K, Sato N, Imamura Y, Hiyoshi Y, Baba Y, Iwagami S, Miyamoto Y, Iwatsuki M, Hayashi N, Baba H: Induction chemotherapy with docetaxel/ cisplatin/5-fluorouracil for patients with node-positive esophageal cancer. *Digestion* 83:146-152, 2010
 46. Hashimoto D, Takamori H, Sakamoto Y, Watanabe M, Beppu T, Hirota M, Baba H: Is an estimation of Physiologic ability and surgical stress (E-PASS) able to predict operative morbidity after pancreaticoduodenectomy? *J Hepatobiliary Pancreat Surg* 17:132, 2010
 47. Zhou L, Tan X, Kamohara H, Wang W, Wang B, Liu J, Egami H, Baba H, Dal X: MEK1 and MEK2 isoforms regulate distinct function in pancreatic cancer cells. *Oncology Rep* 24:251-255, 2010
 48. Irahara N, Baba Y, Nosho K, Shima K, Yan L, Dias-Santagata D, Iafrate AJ, Fuchs CS, Haigis KM, Ogino S: NRAS mutations are rare in colorectal cancer. *Diagn Mol Pathol* 19:157-63, 2010
 49. Hayashi H, Beppu T, Sugita H, Masuda T, Okabe H, Takamori H, Baba H: Serum HGF and TGF- β 1 levels after right portal vein embolization: clinical implications. *Hepatol Res* 40: 311-317, 2010
 50. Komori H, Beppu T, Baba Y, Horino K, Imseung C, Masuda T, Hayashi H, Okabe H, Ootao R, Watanabe M, Takamori H, Iyama K, Baba H: Histological liver injury and surgical outcome after FOLFOX followed by a hepatectomy for colorectal liver metastases in Japanese patients. *Int J Clin Oncol* 15:263-270, 2010
 51. Akagi J, Baba H: PSK may suppress CD57-positive T cells to improve survival of advanced gastric cancer patients. *Int J Clin Oncol* 15:145-52, 2010
 52. Nakahara O, Takamori H, Tanaka H, Sakamoto Y, Ikuta Y, Furuhashi S, Watanabe M, Beppu T, Hirota M, Kanemitsu K, Baba H: Clinical significance of dihydropyrimidine dehydrogenase and thymidylate synthase expression in patients with pancreatic cancer. *Int J Clin Oncol* 15:39-45, 2010
 53. Sawayama H, Hayashi N, Honda S, Baba Y, Toyama E, Watanabe M, Takamori H, Beppu T, Baba H: Treatment results of FOLFOX chemotherapy before surgery for lymph node metastasis of advanced colorectal cancer with synchronous liver metastasis: the status of LN metastasis and vessel invasions at the primary site in patients who responded to FOLFOX. *Int J Clin Oncol* 15:70-76, 2010

54. Beppu T, Hayashi N, Masuda T, Komori H, Horino K, Hayashi H, Okabe H, Baba Y, Kinoshita K, Watanabe M, Takamori H, Baba H: FOLFOX enable resectability and excellent prognosis for initially unresectable colorectal liver metastases. *Anticancer Res* 30: 1015-1020, 2010
55. Ishihara S, Honda Y, Asato T, Nonaka M, Nakagawa S, Hirashima K, Hayashi N, Baba H, Iyama KI : Interdigitating dendritic cell sarcoma of the ileum recurred in multiple lymph nodes and duodenum three years after operation without chemotherapy. *Pathol Res Pract* 206:514-8, 2010
56. Hashimoto D, Takamori H, Sakamoto Y, Tanaka H, Hirota M, Baba H: Can the Physiologic Ability and Surgical Stress(E-PASS) scoring system predict operative morbidity after distal pancreatectomy? *Surg Today* 40:632-637, 2010
57. Mima K, Hirota M, Abe S, Iwatsuki M, Imamura H, Tsuruzoe S, Chikamoto A, Tanaka H, Takamori H, Kanemitsu K, Tagami H, Honda Y, Iyama K, Baba H: Small solid pseudopapillary tumor of the pancreas in a 32-year-old man. *Surg Today* 40:772-6, 2010
58. Ida S, Ohmuraya M, Hirota M, Ozaki N, Hiramatsu S, Uehara H, Takamori H, Araki K, Baba H, Yamamura K: Chronic pancreatitis in mice by treatment with choline-deficient ethionine-supplemented diet. *Exp Anim* 59:421-9, 2010
59. Yamada Y, Ikuta Y, Nosaka K, Miyanari N, Hayashi N, Mitsuya H, Baba H: Successful treatment of cisplatin overdose with plasma exchange. *Case Rep Med* : ID802312, 2010
60. Hahsimoto D, Arita T, Takamori H, Kuroki H, Motomura Y, Ishikawa S, Inayoshi A, Uda N, Beppu T, Hirota M, Yagi Y, Baba H: Acute afferent loop necrosis after Roux-en-Y cholangiojejunostomy. *Clin J Gastroenterol* 3:165-167, 2010
61. Ozawa S, Tachimori Y, Baba H, Matsubara H, Muro K, Numasaki H, Oyama T, Shimoda M, Takeuchi H, Tanaka O, Teshima T, Udagawa H, Uno T, Barron JP: Comprehensive registry of esophageal cancer in Japan, 2002. *Esophagus* 7: 7-22, 2010
62. Tan X, Zhou L, Wang W, Wang B, Egami H, Baba H, Dai X: Genomic analysis of invasion- metastasis- related factors in pancreatic cancer cells. *Experimental Therapeutic Med* 1:211-216, 2010
63. Ozaki N, Takamori H, Tanaka H, Nakahara O, Ida S, Furuhashi S, Abe S, Satou N, Horino K, Beppu T, Iyama K, Baba H : Sister Mary Joseph's nodule derived from pancreatic cancer. *J Hepatobiliary Pancreat Sci* 18:119-21, 2010
64. Ishiko T, Beppu T, Chikamoto A, Takamori H, Masuda T, Okabe H, Otao R, Horino K, Takamori H, Baba H: The comparison of efficacy in 3 different types of pre-coagulation method for endoscopic liver resection of hepatocellular carcinoma. *J Microwave Surg* 28:47-51, 2010
65. Sakaguchi Y, Ikeda O, Ohgaki K, Oki E, Chinen Y, Sakamoto Y, Minami K, Toh Y, Okamura T: Totally laparoscopic gastrectomy for gastric cancer associated with rector's disease. *Diagn Ther Endosc* :ID 682401, 2010
66. Ishimoto T, Nagano O, Yae T, Tamada M, Motohara T, Oshima H, Oshima M, Ikeda T, Asaba R, Yagi H, Masuko T, Shimizu T, Ishikawa T, Kai K, Takahashi E, Imamura Y, Baba Y, Ohmura M, Suematsu M, Baba H, Saya H: CD44 variant regulates redox status in cancer cells by stabilizing the xCT subunit of system xc and thereby promotes tumor growth. *Cancer Cell* 19:387-400, 2011
67. Inuma H, Watanabe T, Mimori K, Adachi M, Hayashi N, Tamura J, Matsuda K, Fukushima R, Okinaga K, Sasako M, Mori M: Clinical significance of circulating tumor cells including cancer stem-like cells in peripheral blood for recurrence and prognosis in colorectal cancer patients with dukes stage B and C. *J Clin Oncol* 29:1547-1555, 2011
68. Imai K, Hirata S, Senju S, Ikuta Y, Yokomine K, Harao M, Inoue M, Tomita Y, Tsunoda T, Nakagawa H, Nakamura Y, Baba H, Nishimura Y: Identification of HLA-A2-restricted CTL epitopes of a novel tumor-associated antigen, KIF20A, overexpressed in pancreatic cancer. *Br J Cancer* 104:300-307, 2011
69. Kita Y, Mimori K, Iwatsuki M, Yokobori T, Tanaka F, Ishii H, Natsugoe S, Mori M: STC2: A Predictive marker for lymph node metastasis in esophageal squamous cell carcinoma. *Ann Surg Oncol* 18:261-72, 2011
70. Okabe H, Beppu T, Hayashi H, Ishiko T, Masuda T, Otao R, Shinriki S, Horlad H, Jono H, Ueda M, Ando Y, Baba H: Hepatic stellate cells accelerate the malignant behavior of cholangiocarcinoma. *Ann Surg Oncol* 18:1175-84, 2011
71. Takamori H, Kanemitsu K, Hirota M, Ikeda O, Tanaka H, Beppu T, Yamashita Y, Oya N, Baba H: Perioperative intra-arterial and systemic chemotherapy for pancreatic cancer. *Ann Surg Oncol* 18:1110-1115, 2011
72. Baba Y, Noshio K, Shima K, Hayashi M, Meyerhardt JA, Chen AT, Giovannucci E, Fuchs CS, Ogino S:

Phosphorylated AKT expression is associated with PIK3CA mutation, low stage and favorable outcome in 717 colorectal cancers. *Cancer* 117:1399-408, 2011

73. Shima K, Morikawa T, Baba Y, Nosho K, Suzuki M, Yamauchi M, Hayashi M, Giovannucci EL, Fuchs CS, Ogino S: MGMT promoter methylation, loss of expression and prognosis in 855 colorectal cancers. *Cancer Causes Cont* 22:301-9, 2011
74. Ota D, Mimori K, Yokobori T, Iwatsuki M, Kataoka A, Masuda N, Ishii H, Ohno S, Mori M: Identification of recurrence-related microRNAs in the bone marrow of breast cancer patients. *Int J Oncol* 38:955-62, 2011
75. Hashimoto D, Hirota M, Yagi Y, Baba H: Umbilicus Saving Three-Port Laparoscopic Cholecystectomy. *Web Med Central* 2: ID 01882, 2011
76. Ozawa S, Tachimori Y, Baba H, Matsubara H, Muro K, Numasaki H, Oyama T, Shimoda M, Takeuchi H, Tanaka O, Teshima T, Udagawa H, Uno T, Barron JP: Comprehensive registry of esophageal cancer in Japan, 2003. *Esophagus* 8: 9-29, 2011
77. Mima K, Beppu T, Masuda T, Otao R, Okabe H, Chikamoto A, Hayashi N, Ishiko T, Takamori H, Baba H :The role of thermal ablation for colorectal liver metastases in the era of effective chemotherapy. *Thermal Med* 27:1-8, 2011
78. Baba Y, Yamauchi M, Kuchida A, Nosho K, Shima K, Tanaka N, Huttenhouwer C, Frank DA, Ogino S: STAT3 expression, molecular features, inflammation patterns and prognosis in a database of 724 colorectal cancers. (requally contributed) *Clin Cancer Res* (in press)
79. Shima K, Nosho K, Baba Y, Cantor M, Giovannucci EL, Fuchs CS, Ogino S: Prognostic significance and molecular associations of CDKN2A (p16) promoter methylation and loss of expression in colorectal cancer. *Int J Cancer* (in press)
80. Nagahara M, Nishida N, Iwatsuki M, Ishimaru S, Mimori K, Tanaka F, Nakagawa T, Sato T, Sugihara K, Hoon DS, Mori M: Kinesin 18A expression clinical relevance to colorectal cancer progression. *Int J Cancer* (in press)
81. Baba Y: The dichotomy in carcinogenesis of the distal esophagus and esophagogastric junction: intestinal-type vs. cardiac-type mucosa-associated adenocarcinoma. *Mod Pathol* (in press)
82. Iwatsuki M, Mimori K, Tahara K, Baba H, Mori M: Reply: Preanalytical interferences compromise the clinical validity of matrix metalloproteinase 1 as marker of colorectal cancer. *Ann Surg Oncol* (in press)
83. Tomita Y, Imai K, Senju S, Irie A, Inoue M, Hayashida Y, Shiraishi K, Mori T, Daigo Y, Tsunoda T, Ito T, Nomori H, Nakamura Y, Kohrogi H, Nishimura Y: A novel tumor-associated antigen, cell division cycle 45-like can induce cytotoxic T lymphocytes reactive to tumor cells. *Cancer Sci* (in press)
84. Nagai Y, Watanabe M, Ikeda O, Nakasane, Nakasone Y, Sakaguchi H, Kunitomo R, Yamashita Y, Baba H: Successful therapy of brachiocephalic arteriogastric fistula after esophagectomy. *Ann Thoracic Surg* (in press)
85. Hayashi H, Sakai T: Animal models for the study of liver fibrosis: New insights from knockout mouse models., *Am J Physiol Gastrointest Liver Physiol* (in press)
86. Beppu T, Hayashi H, Okabe H, Masuda T, Mima K, Sugiyama S, Horino K, Otao R, Chikamoto A, Doi K, Ishiko T, Takamori H, Yoshida M, Shiraishi S, Yamashita Y, Baba H: Liver functional volumetry for portal vein embolization using a newly-developed 99mTc-galactosyl human serum albumin scintigraphy spect-computed tomography fusion system. *J Gastroenterol* (in press)
87. Okabe H, Beppu T, Ishiko T, Masuda T, Hasyashi H, Otao R, Hasta H, Okabe K, Sugiyama S, Baba H: Preoperative portal vein embolization (PVE) for patients with hepatocellular carcinoma can improve resectability and may improve disease-free survival. *J Surg Oncol* (in press)
88. Hashimoto D, Kuroki H, Motomura Y, Ishikawa S, Inayoshi A, Udaka N, Tanoue T, Arita T, Hirota M, Yagi Y, Baba H : Trichoblastic carcinoma arising from colostomy. *Am J Surg* (in press)
89. Nagai Y, Watanabe M, Ishikawa S, Iwastuki M, Baba Y, Imamura Y, Hayashi N, Baba H: Clinical significance of wnt-induced secreted protein-1 (wisp-1/ccn4) in esophageal squamous cell carcinoma. *Anticancer Res* (in press)
90. Sawayama H, Baba H, Maehara Y: The central vein access port and catheter in outpatient chemotherapy for colorectal cancer. A retrospective study of 101 patients. *Surg Today* (in press)
91. Masuda T, Beppu T, Ikeda K, Ishiko T, Chikamoto A, Hayashi H, Okabe H, Otao R, Takamori H, Namimoto T, Iyama K, Baba H: Pigmented hepatocellular adenoma: Report of a case. *Surg Today* (in press)

92. Baba H, Hayashi N, Emi Y, Kakeji Y, Egashira A, Oki E, Shirabe K, Toyama T, Ohga T, Yamamoto M: A multicenter phase II clinical study of oxaliplatin, folinic acid and 5-fluorouracil combination chemotherapy as firstline treatment for advanced colorectal cancer: A Japanese experience. *Surg Today* (in press)
93. Hashimoto D, Hirota M, Sakata K, Yagi Y, Baba, H. Two adult cases of transmesenteric hernia. *Surg Today* (in press)
94. Hashimoto D, Hirota M, Yagi Y, Baba H: A hyaluronate carboxymethylcellulose -based bioresorbable membrane reduces adhesion under incision and provides safer unplanned re-laparotomy. *Surg Today* (in press)
95. Beppu T, Ishiko T, Chikamoto A, Komori H, Masuda T, Hayashi H, Okabe H, Otao R, Sugiyama S, Nasu J, Horino K, Takamori H, Baba H: Liver hanging maneuver decrease blood loss and operative time in a right-side hepatectomy. *Hepatogastroenterol* (in press)
96. Chikamoto A, Beppu T, Masuda T, Otao R, Okabe H, Hayashi H, Sugiyama S, Watanabe M, Ishiko T, Takamori H, Baba H: Amount of operative blood loss affects the long-term outcome after liver resection for hepatocellular carcinoma. *Hepatogastroenterol* (in press)
97. Horino K, Beppu T, Kmpri H, Masuda T, Hayashi H, Okabe H, Takamori H, Baba H: Evaluation of the mass forming intrahepatic cholangiocarcinoma with viral hepatitis. *Hepatogastroenterol* (in press)
98. Masuda T, Beppu T, Muzumoto T, Ishiko T, Chikamoto A, Hayaashi H, Okabe H, Otao R, Hasita H, Takamori H, Baba H: Hybrid ablation using percutaneous and endoscopic approach for multinodular hepatocellular carcinomas running head: Hybrid ablation for hepatocellular carcinoma. *Hepatogastroenterol* (in press)
99. Okabe K, Beppu T, Masuda T, Hayashi H, Okabe H, Komori H, Horino K, Sugiyama S, Ishiko T, Takamori H, Yamanaka T, Baba H: Portal vein embolization can prevent intrahepatic metastases to non-embolized liver. *Hepatogastroenterol* (in press)
100. Ishiko T, Inomata Y, Beppu T, Asonuma K, Okajima H, Takeiti T, Yamamoto H, Baba H: An Improved technique for liver transection using a new device for soft coagulation in living donor hepatectomy. *Hepatogastroenterol* (in press)
101. Okabe H, Beppu T, Hayashi H, Ishiko T, Masuda T, Otao R, Horlad H, Baba H : The role of hepatic stellate cells in the pathogenesis of hepatocellular and cholangiocarcinoma. *Europ J Clin Med Oncol* (in press)
102. Mimori K, Yokobori T, Iwatsuki M, Sudo T, Tanaka F, Shibata K, Ishii H, Mori M: FHIT Suppresses inflammatory carcinogenic activity by inducing apoptosis in esophageal epithelial cells. *J Nuc Aci Invest* (in press)
103. Hirota M, Hashimoto D, Sakata D, Kuroki H, Tanaka Y, Ishiko T, Motomura Y, Ishikawa S, Kiyota Y, Arita T, Inayoshi A, Yaki Y: Laparoscopy-assisted distal pancreatectomy. *Laparoscopy* (in press)