

【英文論文】

1. Liao X, Lochhead P, Nishihara R, Morikawa T, Kuchiba A, Yamauchi M, Imamura Y, Qian ZR, Baba Y, Shima K, Meyerhardt JA, Giovannucci E, Fuchs CS, Chan AT, Ogino S: Aspirin use and colorectal cancer survival in relation to tumor PIK3CA mutation status. *N Engl J Med* 367:1596-606, 2012
2. Akiyama S, Suyama K, Takano T: Colorectal-Cancer Screening. *New Engl J Med* 366: 2129, 2012
3. Yoshino T, Mizunuma N, Yamazaki K, Nishina T, Komatsu Y, Baba H, Tsuji A, Yamaguchi K, Muro K, Sugimoto N, Tsuji Y, Moriwaki T, Esaki T, Hamada C, Tanase T, Ohtsu A: TAS-102, a novel nucleoside antitumor agent for metastatic colorectal cancer. *Lancet Oncol* 13: 993-1001, 2012
4. Kuchiba A, Morikawa T, Yamauchi M, Imamura Y, Liao X, Chan AT, Meyerhardt JA, Giovannucci E, Fuchs CS, Ogino S: Body mass index and risk of colorectal cancer according to Fatty Acid synthase expression in the nurses' health study. *J Natl Cancer Inst* 104: 415-20, 2012
5. Hayashi H, Sakai K, Baba H, Sakai T: Thrombospondin-1 is a novel negative regulator of liver regeneration after partial hepatectomy via TGF- β 1 activation in mice. *Hepatology* 55: 1562-73, 2012
6. Yamauchi M, Morikawa T, Kuchida A, Imamura Y, Qian ZR, Nishikawa R, Liao X, Waldron L, Hoshida Y, Huttenhower C, Chan AT, Giovannucci E, Fuchs CS, Ogino S: Assessment of colorectal cancer molecular features along bowel subsites challenges the conception of distinct dichotomy of proximal vs. distal colorectum. *Gut* 61: 847-54, 2012
7. Tamada M, Nagano O, Tateyama S, Ohmura M, Yae T, Ishimoto T, Sugihara E, Onishi N, Yamamoto T, Yanagawa H, Suematsu M, Saya H: Modulation of glucose metabolism by CD44 contributes to antioxidant status and drug resistance in cancer cells. *Cancer Res* 72:1438-1448, 2012
8. Dulak AM, Schumacher SE, van Lieshout J, Imamura Y, Fox C, Shim B, Ramos AH, Saksena G, Baca SC, Baselga J, Taberero J, Barretina J, Enginger PC, Corso G, Roviello F, Lin L, Bandla S, Luketich JD, Pennathur A, Meyerson M, Ogino S, Shivdasani RA, Beer DG, Godfrey TE, Beroukhim R, Bass AJ: Gastrointestinal adenocarcinomas of the esophagus, stomach, and colon exhibit distinct patterns of genome instability and oncogenesis. *Cancer Res* 72: 4383-4393, 2012
9. Mima K, Okabe H, Ishimoto T, Hayashi H, Nakagawa S, Kuroki H, Watanabe M, Beppu T, Tamada M, Nagano O, Saya H, Baba H: CD44s regulates the TGF- β -mediated mesenchymal phenotype and is associated with poor prognosis in patients with hepatocellular carcinoma. *Cancer Res* 72: 3414-23, 2012
10. Imamura Y, Morikawa T, Liao X, Lochhead P, Kuchiba A, Yamauchi M, Qian ZR, Nishihara R, Meyerhardt JA, Haigis KM, Fuchs CS, Ogino S: Specific mutations in KRAS codons 12 and 13, and patient prognosis in 1075 BRAF wild-type colorectal cancers. *Clin Cancer Res* 18: 4753-63, 2012
11. Liao X, Morikawa T, Lochhead P, Imamura Y, Kuchida A, Yamauchi M, Noshio K, Qian ZR, Nishihara R, Meyerhardt JA, Fuchs CS, Ogino S: Prognostic role of PIK3CA mutation in colorectal cancer: cohort study and literature review. *Clin Cancer Res* 18: 2257-68, 2012
12. Waldron L, Ogino S, Hoshida Y, Shima K, McCart Reed AE, Simpson PT, Baba Y, Noshio K, Segata N, Vargas AC, Cummings MC, Lakhani SR, Kirkner GJ, Giovannucci E, Quackenbush J, Golub TR, Fuchs CS, Parmigiani G, Huttenhower C: Expression profiling of archival tumors for long-term health studies. *Clin Cancer Res* 18: 6136-46, 2012
13. Yae T, Tsuchihashi K, Ishimoto T, Motohara T, Yoshikawa M, Yoshida GJ, Wada T, Masuko T, Mogushi K, Tanaka H, Osawa T, Kanai Y, Minami T, Aburatani H, Ohmura M, Kudo A, Suematsu M, Takahashi K, Saya H, Nagano O: Alternative splicing of CD44 mRNA by ESRP1 enhances lung colonization of metastatic cancer cell. *Nat Commun* 6: 883, 2012
14. Kato T, Muro K, Yamaguchi K, Bando H, Hazaama S, Amagai K, Baba H, Denda T, Shi X, Sakamoto J, Mishima H: Cediranib in combination with mFOLFOX6 in Japanese patients with metastatic colorectal cancer: Results from the randomized Phase II part of a Phase I/II study. *Ann Oncol* 23: 933-41, 2012
15. Lochhead P, Imamura Y, Morikawa T, Kuchiba A, Yamauchi M, Liao X, Qian ZR, Nishihara R, Wu K, Meyerhardt JA, Fuchs CS, Ogino S: Insulin-like growth factor 2 messenger RNA binding protein 3 (IGF2BP3) is a marker of unfavourable prognosis in colorectal cancer. *Eur J Cancer* 48: 3405-13, 2012
16. Morikawa T, Kuchida A, Liao X, Imamura Y, Yamauchi M, Qian ZR, Nishihara R, Sato K, Meyerhardt JA, Fuchs CS, Ogino S: Tumor TP53 expression status, body mass index and prognosis in colorectal cancer. *Int J Cancer* 131:1169-78, 2012
17. Okabe H, Beppu T, Ueda M, Hayashi H, Ishiko T, Masuda T, Otao R, Horlad H, Mima K, Miyake K, Iwatsuki M, Baba Y, Takamori H, Jono H, Shinriki S, Ando Y, Baba H: Identification of CXCL5/ENA-78 as a factor involved in the interaction between cholangiocarcinoma cells and cancer-associated fibroblasts. *Int J Cancer* 131: 2234-41, 2012
18. Baba H, Watanabe M, Okabe H, Miyamoto Y, Sakamoto Y, Baba Y, Iwatsuki M, Chikamoto A, Beppu T: Upregulation of ERCC1 and DPD expressions after oxaliplatin based first-line chemotherapy for metastatic colorectal cancer. *Br J Cancer* 107: 1950-5, 2012
19. Hirashima K, Baba Y, Watanabe M, Karashima R, Sato N, Imamura Y, Nagai Y, Hayashi N, Iyama K, Baba H: Aberrant activation of the mTOR pathway and anti-tumour effect of everolimus on oesophageal squamous cell carcinoma. *Br J Cancer* 106: 876-882, 2012
20. Kurashige J, Watanabe M, Iwatsuki M, Kinoshita K, Saito S, Hiyoshi Y, Kamohara H, Baba H, Mimori K: Overexpression of microRNA-223 regulates the ubiquitin ligase FBXW7 in esophageal squamous cell carcinoma. *Br J Cancer* 106: 182-188, 2012
21. Kurashige J, Watanabe M, Iwatsuki M, Kinoshita K, Saito S, Nagai Y, Ishimoto T, Baba Y, Mimori K, Baba H: RPN2 expression predicts response to docetaxel in oesophageal squamous cell carcinoma. *Br J Cancer* 107: 1233 -8, 2012
22. Otao R, Beppu T, Ishiko T, Mima K, Okabe H, Hayashi H, Masuda T, Chikamoto A, Takamori H, Baba H:

- External biliary drainage and liver regeneration after major hepatectomy. *Br J Surg* 99: 1569-74, 2012
23. Kosumi K, Baba Y, Watanabe M, Ida S, Nagai Y, Baba H: Pedunculated gastric conduit interposition with duodenal transection following salvage esophagectomy: an option for increasing the flexibility of the gastric conduit. *J Am Coll Surg* 214: e31-3, 2012
 24. Morikawa T, Kuchiba A, Qian ZR, Mino-Kenudson M, Hornick JL, Yamauchi M, Imamura Y, Liao X, Nishihara R, Meyerhardt JA, Fuchs CS, Ogino S: Prognostic significance and molecular associations of tumor growth pattern in colorectal cancer. *Ann Surg Oncol* 19:1944-53, 2012
 25. Iwagami S, Baba Y, Watanabe M, Shigaki H, Miyake K, Ida S, Nagai Y, Ishimoto T, Iwatsuki M, Sakamoto Y, Miyamoto Y, Baba H: Pyrosequencing assay to measure line-1 methylation level in esophageal squamous cell carcinoma. *Ann Surg Oncol* 19: 2726-32, 2012
 26. Kurashige J, Kamohara H, Watanabe M, Hiyoshi Y, Iwatsuki M, Tanaka Y, Kinoshita K, Saito S, Baba Y, Baba H: MicroRNA-200b regulates cell proliferation, invasion and migration by directly targeting ZEB2 in gastric carcinoma. *Ann Surg Oncol* 19: 656-64, 2012
 27. Sato N, Hayashi N, Imamura Y, Tanaka Y, Kinoshita K, Kurashige J, Saito S, Karashima R, Hirashima K, Nagai Y, Miyamoto Y, Iwatsuki M, Baba Y, Watanabe M, Baba H: Usefulness of transcription-reverse transcription concerted reaction method for detecting circulating tumor cells in patients with colorectal cancer. *Ann Surg Oncol* 19: 2060-5, 2012
 28. Shigaki H, Baba Y, Watanabe M, Iwagami S, Miyake K, Ishimoto T, Iwatsuki M, Baba H: LINE-1 hypomethylation in noncancerous esophageal mucosae is associated with smoking history. *Ann Surg Oncol* 19: 4238-4243, 2012
 29. Nakahara O, Takamori H, Iwatsuki M, Baba Y, Sakamoto Y, Tanaka H, Chikamoto A, Horino K, Beppu T, Kanemitsu K, Honda Y, Iyama K, Baba H: Carcinogenesis of intraductal papillary mucinous neoplasm of the pancreas: loss of microRNA-101 promotes overexpression of histone methyltransferase EZH2. *Ann Surg Oncol* 19 (Suppl 3): 565-71, 2012
 30. Hayashi H, Beppu T, Kuroki H, Nakagawa S, Mima K, Okabe H, Nitta H, Imai K, Chikamoto A, Baba H: Combined measurements of serum bile acid level and splenic volume may be useful to noninvasively assess the portal venous pressure. *J Gastroenterol* 47: 1336-1341, 2012
 31. Masuko K, Okazaki S, Satoh M, Tanaka G, Ikeda T, Torii R, Ueda E, Nakano T, Danbayashi M, Ohno Y, Yagi H, Yabe N, Yoshida H, Tahara T, Kataoka S, Oshino T, Shindo T, Niwa S, Ishimoto T, Baba H, Hashimoto Y, Saya H, Masuko T: Anti-tumor effect against human cancer xenografts elicited by a fully human monoclonal antibody to a variant 8-epitope of CD44R1. *Plos One* 7: e29728, 2012
 32. Inadomi K, Ishimoto T, Watanabe M, Arima K, Ida S, Nagai Y, Iwatsuki M, Iwagami S, Baba Y, Sakamoto Y, Miyamoto Y, Honda Y, Iyama K, Baba H: Primary malignant melanoma of the esophagus with extensive intraepithelial progression. *Ann Thorac Surg* 94: 2105-2107, 2012
 33. Kono K, Iinuma H, Akutsu Y, Tanaka H, Hayashi N, Uchikado Y, Noguchi T, Fujii H, Okinaka K, Fukushima R, Matsubara H, Ohira M, Baba H, Natsugoe S, Kitano S, Takeda K, Yoshida K, Tsunoda T, Nakamura Y: Multicenter, phase II clinical trial of cancer vaccination for advanced esophageal cancer with three peptides derived from novel cancer-testis antigens. *J Transl Med* 10: 141, 2012
 34. Shima K, Morikawa T, Kuchida A, Yamauchi M, Tanaka N, Liao X, Imamura Y, Qian ZR, Brahmandam M, Longine JA, Lindeman NI, Fuchs CS, Ogino S: No evidence for interference of hematoxylin and eosin (he) staining in dna testing: utility of dna extraction from he-stained archival tissue sections. *Am J Clin Pathol* 138: 122-9, 2012
 35. Nishikawa K, Morita S, Matui T, Miyashita Y, Tsuburaya A, Sakamoto J, Kakeji Y, Baba H: A randomised phase-II trial comparing sequential and concurrent Paclitaxel with oral or parenteral fluorinated pyrimidines for advanced or metastatic gastric cancer. *Gastric Cancer* 15: 363-9, 2012
 36. Furuhashi S, Sugita H, Takamori H, Horino K, Nakahara O, Okabe H, Miyake K, Tanaka H, Beppu T, Baba H: No donor and MEK inhibitor synergistically inhibit proliferation and invasion of cancer cells. *Int J Oncol* 40: 807- 815, 2012
 37. Nobuoka D, Motomura Y, Shirakawa H, Yoshikawa T, Kuronuma T, Takahashi M, Nakachi K, Ishii H, Furuse J, Gotohda N, Takahashi S, Nakagohri T, Konishi M, Kinoshita T, Komori H, Baba H, Fujiwara T, Naktura T: Radiofrequency ablation for hepatocellular carcinoma induces glypican-3 peptide-specific cytotoxic T lymphocytes. *Int J Oncol* 40: 63-70, 2012
 38. Sakamoto Y, Sakaguchi Y, Sugiyama M, Minami K, Toh Y, Okamura T: Surgical indications for gastrectomy combined with distal or partial pancreatectomy in patients with gastric cancer. *World J Surg* 36: 2412-2419, 2012
 39. Sakamoto Y, Sakaguchi Y, Oki E, Minami K, Toh Y, Okamura T: Surgical outcomes after resection of both hepatic and pulmonary metastases from colorectal cancer. *World J Surg* 36: 2708-13, 2012
 40. Watanabe M, Iwatsuki M, Iwagami S, Ishimoto T, Baba Y, Baba H: Prognostic nutritional index predicts outcomes of gastrectomy in the elderly. *World J Surg* 36: 1632-9, 2012
 41. Imamura Y, Watanabe M, Nagai Y, Baba Y, Hirashima K, Karashima R, Iwatsuki M, Yoshida N, Kinoshita K, Kurashige J, Iyama K, Baba H: Lymphatic vessel invasion detected by the D2-40 monoclonal antibody is an independent prognostic factor in node-negative esophageal squamous cell carcinoma. *J Surg Oncol* 105: 277-283, 2012
 42. Kurashige J, Kamohara H, Watanabe M, Tanaka Y, Kinoshita K, Saito S, Hiyoshi Y, Iwatsuki M, Baba Y, Baba H: Serum microRNA-21 is a novel biomarker in patients with esophageal squamous cell carcinoma. *J Surg Oncol* 106: 188-92, 2012
 43. Beppu T, Sakamoto Y, Hasegawa K, Honda G, Tanaka K, Kotera Y, Nitta H, Yoshidome H, Hatano E, Ueno H, Takamura H, Baba H, Kosuge T, Kokubo H, Takahashi K, Endo I, Wakabayashi G, Miyazaki M, Uemoto S, Ohta T, Kikuchi K, Yamaue H, Yamamoto M, Takada T: A nomogram predicting disease-free survival in patients with colorectal liver metastases treated with hepatic resection: multicenter data collection as a project

- study for hepatic surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. *J Hepatobiliary Pancreat Sci* 19: 72-84, 2012
44. Watanabe M, Baba H, Ishioka C, Nishimura Y, Muto M: Recent advances in diagnosis and treatment for malignancies of the gastrointestinal tract. *Digestion* 85: 95-98, 2012
 45. Kinoshita H, Okabe H, Beppu T, Chikamoto A, Hayashi H, Imai K, Mima K, Nakagawa S, Ishimoto T, Miyake K, Yokoyama N, Ishiko T, Baba H: Cystine/glutamic acid transporter is a novel marker for predicting poor survival in patients with hepatocellular carcinoma. *Oncol Rep* 29: 685-9, 2012
 46. Watanabe M, Nishida K, Kimura Y, Miyazaki M, Baba H: Salvage lymphadenectomy for cervical lymph node recurrence after esophagectomy for squamous cell carcinoma of the thoracic esophagus. *Dis Esophagus* 25: 62-6, 2012
 47. Tanaka H, Takamori H, Kanemitsu K, Chikamoto A, Beppu T, Baba H: An autopsy study to clarify characteristics of local recurrence after extended pancreatectomy with intraoperative radiation therapy in patients with pancreatic cancer. *Langenbecks Arch Surg* 397: 927-32, 2012
 48. Nakahara O, Takamori H, Ikeda O, Kuroki H, Ikuta Y, Chikamoto A, Beppu T, Yamashita Y, Baba H: Risk factors associated with delayed haemorrhage after pancreatic resection. *HPB (Oxford)* 14: 684-7, 2012
 49. Sakamoto Y, Sakaguchi Y, Akimoto H, Chinen Y, Kojo M, Sugiyama M, Morita K, Saeki H, Minami K, Soejima Y, Tho Y, Okamura T: A safe procedure of laparoscopic resection for gastric GIST close to the esophagogastric junction. *Surg Today* 42:708-11, 2012
 50. Imai K, Doi Y, Takata N, Yoshinaka I, Harada K: Successful conservative treatment of pneumatosis intestinalis associated with intraperitoneal free air: report of a case. *Surg Today* 42: 992-6, 2012
 51. Hashimoto D, Hirota M, Yagi Y, Baba H: A hyaluronate carboxymethylcellulose-based bioresorbable membrane reduces adhesion under incision and provides safer unplanned re-laparotomy. *Surg Today* 42: 863-867, 2012
 52. Hashimoto D, Hirota M, Matsukawa T, Yagi Y, Baba H: Clinical features of strangulated small bowel obstruction. *Surg Today* 42: 1061-1065, 2012
 53. Maehara Y, Tsujitani S, Saeki H, Oki E, Yoshinaga K, Emi Y, Morita M, Kohnoe S, Kakeji Y, Yano T, Baba H: Biological mechanism and clinical effect of protein-bound polysaccharide K (KRESTIN®): review of development and future perspectives. *Surg Today* 42: 8-28, 2012
 54. Hashimoto D, Hirota M, Sakata K, Yagi Y, Baba H: Adult transmesenteric hernia: Report of two cases. *Surg Today* 42: 489-492, 2012
 55. Harada K, Masuda T, Beppu T, Ishiko T, Chikamoto A, Hayashi H, Okabe H, Otao R, Tanaka H, Takamori H, Baba H: Hepatic resection using a liver hanging maneuver and glissonean pedicle transection for hepatocellular carcinoma in a patient with situs inversus totalis: Report of a case. *Surg Today* 42: 801-804, 2012
 56. Sawayama H, Hayashi N, Watanabe M, Takamori H, Beppu T, Baba H: The central vein access port and catheter in outpatient chemotherapy for colorectal cancer. A retrospective study of 101 patients. *Surg Today* 42: 29-34, 2012
 57. Sawayama H, Tomiyasu S, Kanemitsu K, Matsumoto T, Tanaka H, Baba H: Colonic perforation due to colorectal cancer: The prediction of postoperative organ failure with the preoperative scoring system, and the selection of surgical methods based on the prognosis. *Surg Today* 42: 1082-1087, 2012
 58. Hirota M, Hashimoto D, Ishiko T, Satoh N, Takamori H, Chikamoto A, Tanaka H, Sugita H: Distal pancreatectomy using a no-touch isolation technique. *Scand J Surg* 101:156-9, 2012
 59. Harada K, Watanabe M, Nagai Y, Baba Y, Iwatsuki M, Miyamoto Y, Iyama K, Baba H: Endotracheal metastasis from basaloid squamous carcinoma of the esophagus - A case report. *Esophagus* 9: 54-57, 2012
 60. Ozawa S, Tachimori Y, Baba H, Fujishiro M, Matsubara H, Numasaki H, Oyama T, Shinoda M, Takeuchi H, Teshima T, Udagawa H, Uno T, Barron JP: Comprehensive registry of esophagus cancer in Japan, 2004. *Esophagus* 9: 75-98, 2012
 61. Beppu T, Ishiko T, Chikamoto A, Komori H, Masuda T, Hayashi H, Okabe H, Otao R, Sugiyama S, Nasu J, Horino K, Takamori H, Baba H: Liver hanging maneuver decrease blood loss and operative time in a right-side hepatectomy. *Hepato-Gastroenterol* 59: 542-5, 2012
 62. Chikamoto A, Beppu T, Masuda T, Otao R, Okabe H, Hayashi H, Sugiyama S, Watanabe M, Ishiko T, Takamori H, Baba H: Amount of operative blood loss affects the long-term outcome after liver resection for hepatocellular carcinoma. *Hepato-Gastroenterol* 59: 1213-6, 2012
 63. Horino K, Beppu T, Kmpri H, Masuda T, Hayashi H, Okabe H, Takamori H, Baba H: Evaluation of the mass forming intrahepatic cholangiocarcinoma with viral hepatitis. *Hepato-Gastroenterol* 59: 1217-9, 2012
 64. Ikeda O, Sakaguchi Y, Toh Y, Oogaki K, Oki E, Minami K, Okamura T, Baba H: Evaluation of oncological adequacy of laparoscopic distal gastrectomy with special attention to lymph node dissection: a comparison with conventional open gastrectomy. *Hepato-Gastroenterol* 59: 627-32, 2012
 65. Ishiko T, Inomata Y, Beppu T, Asonuma K, Okajima H, Takeiti T, Yamamoto H, Baba H: An Improved technique for liver transection using a new device for soft coagulation in living donor hepatectomy. *Hepato-Gastroenterol* 59: 1907-10, 2012
 66. Masuda T, Beppu T, Muzumoto T, Ishiko T, Chikamoto A, Hayashi H, Okabe H, Otao R, Hasita H, Takamori H, Baba H: Hybrid ablation using percutaneous and endoscopic approach for multi-nodular hepatocellular carcinomas. *Hepato-Gastroenterol* 59: 836-9, 2012
 67. Okabe K, Beppu T, Masuda T, Hayashi H, Okabe H, Komori H, Horino K, Sugiyama S, Ishiko T, Takamori H, Yamanaka T, Baba H: Portal vein embolization can prevent intrahepatic metastases to non-embolized liver. *Hepato-Gastroenterol* 59: 538-41, 2012
 68. Yoshida M, Shiraishi S, Sakaguchi F, Utsunomiya D, Tashiro K, Tomiguchi S, Okabe H, Beppu T, Baba H, Yamashita Y: Fused 99m-Tc-GSA SPECT/CT imaging for the preoperative evaluation of postoperative liver function: Can the liver uptake index predict postoperative hepatic functional reserve? *Jpn J Radiol* 30: 255-62,

2012

69. Yoshida M, Shiraishi S, Sakaguchi F, Ursunomiya D, Tashiro K, Tomiguch S, Okabe H, Beppu T, Baba H, Yamashita T: A quantitative index measured on ^{99m}Tc GSA SPECT/CT 3D fused images to evaluate severe fibrosis in patients with chronic liver disease. *Jpn J Radiol* 30: 435-41, 2012
70. Mima K, Okabe H, Ishimoto T, Hayashi H, Nakagawa S, Kuroki H, Miyake K, Takamori H, Beppu T, Baba H : The expression levels of CD44v6 are correlated with the invasiveness of hepatocellular carcinoma in vitro, but do not appear to be clinically significant. *Oncol Lett* 5: 1047-1051, 2012
71. Chikamoto A, Nakahara O, Abe S, Imai K, Nitta H, Hayashi H, Ikuta Y, Doi K, Ishiko T, Takamori H, Beppu T, Baba H : A novel technique for treatment of intrahepatic biliary obstruction using endobronchial ultrasound system. *Clin J Gastroenterol* 5: 195-198, 2012
72. Habibollahi P, Figueiredo JL, Heidari P, Dulak AM, Imamura Y, Bass AJ, Ogino S, Chan AT, Mahmood U: Optical imaging with a cathepsin B activated probe for the enhanced detection of esophageal adenocarcinoma by dual channel fluorescent upper GI endoscopy. *Theranostics* 2: 227-34, 2012
73. Kuramoto M, Ikeshima S, Matsuo A, Kuhara H, Eto K, Baba H: A proposal of a practical and optimal prophylactic strategy for peritoneal recurrence. *J Oncol* 2012: 340380, 2012
74. Watanabe M, Baba Y, Yoshida N, Baba H: Surgical treatment for esophageal cancer. *J Nucl Med Radiat Ther* S2: 004, 2012
75. Doi K, Beppu T, Ishiko T, Chikamoto A, Masuda T, Tanaka H, Kuramoto M, Baba H: Laparoscopic and thoracoscopic thermal ablation for hepatocellular carcinoma *J Microwave Surg* 30: 225-230, 2012
76. Hashimoto D, Hirota M, Takamori H, Baba H: Pancreas: Autophagy in Pancreatic Diseases. *Diseases and Health Implications* (Nova Science Publishers, Inc. (USA)): pp 90-107, 2012
77. Hayashi H, Sakai T: Biological significance of latent TGF- β activation in liver diseases. *Front Physiol* 3:12, 2012
78. Horino K, Takamori H, Ikuta Y, Nakahara O, Chikamoto A, Ishiko T, Beppu T, Baba H: Cutaneous metastases secondary to pancreatic cancer. *World J Gastrointest Oncol* 4: 176-180, 2012
79. Horino K, Takamori H, Ikuta Y, Chikamoto A, Ishiko T, Beppu T, Baba H: Pancreatic pseudocyst-portal vein fistula. *Open J Gastroenterol* 2: 143-144, 2012
80. Sugita H, Kinoshita Y, Baba H: The duration of SIRS before organ failure (DSOF) as a novel prognostic factor for sepsis. *Int J Emerg Med* 5: 44, 2012
81. Kuramoto M, Shimada S, Ikeshima S, Yamamoto K, Masuda T, Miyata T, Yoshimatsu S, Urata M, Baba H: Fetal-type glycogen phosphorylase (FGP) expression in intestinal metaplasia as a high risk factor of the development of gastric carcinoma. *Gastric Carcinoma- New Insights into Current Management* (edited by Daniela Lazăr, InTec (Vienna)), pp93-110, 2012
82. Murata S, Koga Y, Moriya Y, Akasu T, Fujita S, Yamamoto S, Kakugawa Y, Ohtake Y, Saito N, Matsumura Y: Application of miRNA expression analysis on exfoliated colonocytes for colorectal cancer diagnosis. *Gastrointestinal Cancer* 2: 11-18, 2012
83. Sugita H, Fruhashi S, Baba H: Nitric oxide regulates growth factor signaling in pancreatic cancer cells. *Pancreatic cancer, molecular mechanism and targets* (editor, Srivastava SK, InTech (Rijeka)), pp89-102, 2012
84. Dulak AM, Stojanov P, Peng S, Lawrence MS, Fox C, Stewart C, Bandla S, Imamura Y, Schumacher SE, Shefler E, McKenna A, Cibulskis K, Sivachenko A, Carter SL, Saksena G, Voet D, Ramos A, Auclair D, Thompson K, Sougnez C, Onofrio RC, Guiducci C, Beroukhi R, Zhou D, Lin L, Lin J, Reddy R, Chang A, Luketich JD, Pennathur A, Ogino S, Golub TR, Meyerson M, Gabriel SB, Lander ES, Beer DG, Godfrey TE, Getz G, Bass AJ: Exome and whole-genome sequencing of esophageal adenocarcinoma identifies recurrent driver events and mutational complexity. *Nat Genet* 45: 478-86, 2013
85. Ueno H, Ioka T, Ikeda M, Yanagimoto H, Booku N, Fukutomi A, Sugimori K, Baba H, Yamao K, Sho M, Kitano M, Cheng AL, Mizumoto K, Chen JS, Furuse J, Funakoshi A, Hattori T, Yamaguchi T, Egawa S, Sato A, Ohashi Y, Okusaka T, Tanaka M: Randomized phase III Study of gemcitabine plus S-1, S-1 Alone, or gemcitabine alone in patients with locally advanced and metastatic pancreatic cancer in Japan and Taiwan: GEST Study. *J Clin Oncol* 31: 1640-8, 2013
86. Ogino S, Nishihara R, Lochhead P, Imamura Y, Kuchiba A, Morikawa T, Yamauchi M, Liao X, Qian ZR, Sun R, Sato K, Kirkner GJ, Wang M, Spiegelman D, Meyerhardt JA, Schernhammer ES, Chan AT, Giovannucci E, Fuchs CS: Prospective study of family history and colorectal cancer risk by tumor LINE-1 methylation level. *J Natl Cancer Inst* 105:130-40, 2013
87. Morikawa T, Kuchiba A, Lochhead P, Nishihara R, Yamauchi M, Imamura Y, Liao X, Qian ZR, Ng K, Meyerhardt JA, Giovannucci E, Fuchs CS, Ogino S: Prospective analysis of body mass index, physical activity and colorectal cancer risk associated with β -catenin (CTNNB1) status. *Cancer Res* 73:1600-10, 2013
88. Yoshikawa M, Tsuchihashi K, Ishimoto T, Yae T, Motohara T, Sugihara E, Onishi N, Masuko T, Yoshizawa K, Kawashiri S, Mukai M, Asoda S, Kawana H, Nakagawa T, Saya H, Nagano O: xCT Inhibition Depletes CD44v-expressing tumor cells that are resistant to EGFR-targeted therapy in head and neck squamous cell carcinoma. *Cancer Res* 73: 1855-1866, 2013
89. Nitta H, Wada Y, Kawano Y, Murakami Y, Irie A, Taniguchi K, Kikuchi K, Yamada G, Suzuki K, Honda J, Morifuji WM, Araki N, Eto M, Baba H, Imamura T: Enhancement of human cancer cell migration and invasion by anaphylatoxin C5a via aberrantly expressed C5a-receptor (CD88). *Clin Cancer Res* 19: 2004-13, 2013
90. Shigaki H, Baba Y, Watanabe M, Murata A, Ishimoto T, Iwatsuki M, Iwagami S, Noshio K, Baba H: PIK3CA mutation is associated with a favorable prognosis among patients with curatively resected esophageal squamous cell carcinoma. *Clin Cancer Res* 19: 2451-9, 2013
91. Iwagami S, Baba Y, Watanabe M, Shigaki H, Miyake K, Ishimoto T, Iwatsuki M, Sakamaki K, Ohashi Y, Baba H: Line-1 hypomethylation is associated with a poor prognosis among patients with curatively resected

- esophageal squamous cell carcinoma. *Ann Surg* 257: 449-55, 2013
92. Tanaka Y, Kamohara H, Kinoshita K, Kurashige J, Ishimoto T, Iwatsuki M, Watanabe M, Baba H: Clinical impact of serum exosomal microRNA-21 in human esophageal squamous cell carcinoma, as a clinical biomarker. *Cancer* 119: 1159-67, 2013
 93. Masuda T, Shirabe K, Yoshiya S, Motono R, Morita K, Hashimoto N, Ikegami T, Yoshizumi T, Baba H, Maehara Y: Nutritional supports and infections associated with hepatic resection and liver transplantation in patients with chronic liver disease. *J Parenter Enterol Nutr* 37: 318-26, 2013
 94. Sakamoto Y, Beppu T, Miyamoto Y, Okabe H, Ida S, Imai K, Chikamoto A, Watanabe M, Baba H: Feasibility and short-term outcome of adjuvant FOLFOX after resection of colorectal liver metastases. *J Hepatobiliary Pancreat Sci* 20: 307-312, 2013
 95. Masuda T, Beppu T, Nakagawa S, Okabe H, Chikamoto A, Mima K, Otao R, Hayashi H, Doi K, Ishiko T, Takamori H, Baba H: Assessment of safety in hepatic resection for hepatocellular carcinoma while focusing on indirect hyperbilirubinemia. *J Hepatobiliary Pancreat Sci* 20: 370-4, 2013
 96. Mima K, Hayashi H, Imai K, Kuroki H, Shigaki N, Nakagawa S, Okabe H, Chikamoto A, Watanabe M, Beppu T, Baba H: High CD44s expression is associated with the EMT expression profile and intrahepatic dissemination of hepatocellular carcinoma after local ablation therapy. *J Hepatobiliary Pancreat Surg* 20: 429-34, 2013
 97. Matsuura K, Hashimoto D, Ikuta Y, Chikamoto A, Beppu T, Baba H: Education and imaging. Hepatobiliary and Pancreatic: Cystic bile duct remnant after surgery for a choledochal cyst. *J Gastroenterol Hepatol* 28: 754, 2013
 98. Hashimoto D, Chikamoto A, Hirota M, Beppu T, Baba H: Hepatobiliary and pancreatic: Huge bile duct stones after hepaticojejunostomy. *J Gastroenterol Hepatol* 28: 764, 2013
 99. Nitta H, Beppu T, Imai K, Hayashi H, Chikamoto A, Baba H: Adjuvant hepatic arterial infusion chemotherapy after hepatic resection of hepatocellular carcinoma with macroscopic vascular invasion. *World J Surg* 37: 1034-42, 2013
 100. Oki E, Emi Y, Akagi Y, Tokunaga S, Sadanaga N, Tanaka T, Ogata Y, Saeki H, Kakeji Y, Baba H, Nishimaki T, Natsugoe S, Shirouzu K, Maehara Y: Phase II trial of alternating mFOLFOX6 and FOLFIRI (FIREFOX) regimens in the first-line treatment of advanced colorectal cancer. *Oncology* 84: 233-239, 2013
 101. Hirashima K, Iyama K, Baba Y, Honda Y, Ishihara S, Sado Y, Ninomiya Y, Tanaka H, Watanabe M, Takamori H, Beppu T, Baba H: Differential expression of basement membrane type IV collagen $\alpha 2$ and $\alpha 6$ chains as a prognostic factor in patients with extrahepatic bile duct carcinoma. *J Surg Oncol* 107:402-7, 2013
 102. Suzuki M, Shiraishi K, Eguchi A, Ikeda K, Mori T, Yoshimoto K, Ohba Y, Yamada T, Ito T, Baba Y, Baba H: Aberrant methylation of LINE-1, SLIT2, MAL and IGFBP7 in non-small cell lung cancer. *Oncol Rep* 29:1308-14, 2013
 103. Saito S, Okabe H, Watanabe M, Ishimoto T, Iwatsuki M, Baba Y, Tanaka Y, Kurashige J, Miyamoto J, Baba H: CD44v6 expression is related to mesenchymal phenotype and poor prognosis in patients with colorectal cancer. *Oncol Rep* 39:1570-1578, 2013
 104. Baba Y, Watanabe M, Shigaki H, Iwagami S, Ishimoto T, Iwatsuki M, Baba H: Negative lymph-node count is associated with survival in patients with resected esophageal squamous cell carcinoma. *Surgery* 153: 234-241, 2013
 105. Watanabe M, Baba Y, Nagai Y, Baba H: Minimally invasive esophagectomy for esophageal cancer; an updated review. *Surg Today* 43: 237-244, 2013
 106. Nagai Y, Watanabe M, Baba Y, Iwatsuki M, Hirashima K, Karashima R, Kurashige J, Kinoshita K, Baba H: A preventive effect of Sivelestat on postoperative respiratory disorder in patients after thoracic esophagectomy. *Surg Today* 43: 361-6, 2013
 107. Miyata T, Watanabe M, Nagai Y, Iwatsuki M, Iwagami S, Baba Y, Furusyo C, Ikuta Y, Yamamoto T, Baba H: Successful esophageal bypass surgery in a patient with a large tracheoesophageal fistula following endotracheal stenting and chemoradiotherapy for advanced esophageal cancer: Case report. *Esophagus* 10: 27-29, 2013
 108. Nishida K, Watanabe M, Yamamoto H, Yoshida R, Fujita A, Koga T, Kajiyama K: Gloumus tumor of the esophagus. *Esophagus* 10: 46-50, 2013
 109. Mima K, Hayashi H, Kuroki H, Nakagawa S, Okabe H, Chikamoto A, Watanabe M, Beppu T, Baba H : Epithelial-mesenchymal transition expression profiles as prognostic factor for disease-free survival in hepatocellular carcinoma: clinical significance of transforming growth factor- β signaling. *Oncol Lett* 5: 149-154, 2013
 110. Kinoshita H, Okabe H, Beppu T, Chikamoto A, Hayashi H, Imai K, Mima K, Nakagawa S, Yokoyama N, Ishiko T, Shinriki S, Jono H, Ando Y, Baba H: CYLD down-regulation might be related to tumor development in HCC patients. *Mol Clin Oncol* 1: 309-314, 2013
 111. Ikeshima S, Kuramoto M, Shimada S, Yamamoto K, Masuda T, Miyata T, Yoshimatsu S, Urata M, Baba H: Standard prophylactic strategy against peritoneal dissemination metastasis in gastric cancer. *J Cancer Ther* 4, 99-103, 2013
 112. Kiyozumi Y, Watanabe M, Iwatsuki M, Ishimoto T, Iwagami S, Baba Y, Tamaoki Y, Iyama K, Baba H: Pathological complete response in a case of HER2-positive gastric cancer with peritoneal dissemination treated with trastuzumab in combination with chemotherapy. *Int Canc Conf J* 2: 51-55, 2013
 113. Nishimura C, Naoe H, Hashigo S, Tsutsumi H, Ishii S, Konoe T, Watanabe T, Shono T, Sakurai K, Takaishi K, Ikuta Y, Chikamoto A, Tanaka M, Iyama K, Baba H, Katabuchi H, Sasaki Y: Pancreatic metastasis from mixed adenonuroendocrine carcinoma of the uterine cervix. *Case Rep Oncol* 6: 256-262, 2013
 114. Hirata K, Hashimoto D, Hirota M, Sakata K, Kiyota Y, Ito T, Ishikawa S, Arita T, Yagi Y: Reactive fibroinflammatory pseudotumor of the pancreas: report of three cases. *Clin J Gastroenterol* 6: 84-88, 2013
 115. Shigaki H, Baba Y, Watanabe M, Miyake K, Murata A, Iwagami S, Ishimoto T, Iwatsuki M, Yoshida N, Baba

- H: KRAS and BRAF mutations in 203 esophageal squamous cell carcinomas: Pyrosequencing technology and literature review. *Ann Surg Oncol* (Published Online Doi: 10.1245/s10434-012-2819-z)
116. Ozaki N, Ohmuraya M, Ida S, Hashimoto D, Ikuta Y, Chikamoto A, Hirota M, Baba H: Serine protease inhibitor Kazal type 1 and epidermal growth factor receptor are expressed in pancreatic tubular adenocarcinoma, intraductal papillary mucinous neoplasm, and pancreatic intraepithelial neoplasia. *J Gastroenterol* (Published Online: Doi 10.1007/s00534-012-0587-6)
 117. Yamauchi M, Lochhead P, Imamura Y, Kuchiba A, Liao X, Qian ZR, Nishihara R, Morikawa T, Shima K, Wu K, Giovannucci E, Meyerhardt JA, Fuchs CS, Chan AT, Ogino S: Physical activity, tumor PTGS2 expression, and survival in patients with colorectal cancer. *Cancer Epidemiol Biomarkers Prev* (Published Online Doi:10.1158/1055-9965.EPI-13-0108)
 118. Takahashi A, Yamamoto Y, Yasunaga M, Koga Y, Kuroda J, Takigahira M, Harada M, Saito H, Hayashi T, Kato Y, Kinoshita T, Ohkohuchi N, Hyodo I, Matsumura Y: NC-6300, an epirubicin-incorporating micelle, extends the antitumor effect and reduces the cardiotoxicity of epirubicin. *Cancer Sci* (Published Online Doi: 10.1111/cas.12153.)
 119. Okabe H, Beppu T, Nakagawa S, Yoshida M, Hayashi H, Masuda T, Imai K, Kuroki H, Nitta H, Chikamoto A, Ishiko T, Yamashita Y, Baba H: Percentage of future liver remnant volume before portal vein embolization influences the degree of liver regeneration after hepatectomy. *J Gastrointestinal Surg* (Published Online Doi:10.1007/s11605-013-2237-y)
 120. Shigaki H, Baba Y, Watanabe M, Murata A, Iwagami S, Miyake K, Ishimoto T, Iwatsuki M, Baba H: LINE-1 hypomethylation in gastric cancer, detected by bisulfite pyrosequencing, is associated with poor prognosis. *Gastric Cancer* (Published Online Doi:10.1007/s10120-012-0209-7)
 121. Horino K, Beppu T, Kuroki H, Mima K, Okabe H, Nakahara O, Ikeda O, Chikamoto A, Ishiko T, Takamori H, Baba H: Glasgow prognostic score as a useful prognostic factor after hepatectomy for hepatocellular carcinoma. *Int J Oncol* (Published Online Doi:10.1007/s10147-012-0451-3)
 122. Imai K, Beppu T, Chikamoto A, Doi K, Okabe H, Hayashi H, Nitta H, Ishiko T, Takamori H, Baba H: Comparison between hepatic resection and radiofrequency ablation as first-line treatment for solitary small-sized hepatocellular carcinoma of 3 cm or less. *Hepatol Res* (Published Online Doi:10.1111/epr.2035.)
 123. Sawayama H, Kanemitsu K, Okuma T, Inoue K, Yamamoto K, Baba H: Safety of polypropylene mesh for an incarcerated groin and obturator hernias: A retrospective study of 110 patients. *Hernia* (Published Online Doi: 10.1007/s10029-013-1058-y)
 124. Watanabe M, Baba Y, Yoshida N, Ishimoto T, Sakaguchi H, Kawasuji M, Baba H: Modified gastric pull-up reconstructions following pharyngolaryngectomy with total esophagectomy. *Dis Esophagus* (Published Online Doi: 10.1111/dote.12086.)
 125. Mima K, Beppu T, Chikamoto A, Miyamoto Y, Nakagawa S, Kuroki H, Okabe H, Hayashi H, Sakamoto Y, Watanabe M, Kikuchi K, Baba H: Hepatic resection combined with radiofrequency ablation for initially unresectable colorectal liver metastases after effective chemotherapy is a safe procedure with a low incidence of local recurrence. *Int J Clin Oncol* (Published Online Doi: 10.1007/s10147-012-0471-z)
 126. Saito S, Hayashi N, Sato N, Iwatsuki M, Baba Y, Sakamoto Y, Miyamoto Y, Watanabe M, Yoshida M, Sakai K, Katsumori T, Katafuchi S, Shigaki N, Yamada K, Kimura M, Tanigawa T, Kamano S, Kuramoto M, Baba H: Chemotherapy with bevacizumab for metastatic colorectal cancer: a retrospective review of 181 Japanese patients. *Int J Clin Oncol* (Published Online Doi: 10.1007/s10147-012-0426-4)
 127. Ikeda O, Nakasone Y, Beppu T, Baba H, Yamashita Y: Successful treatment of ruptured duodenal varices with dualballoon-occluded embolotherapy. *Acta Radiol Short Rep* (Published Online Doi: 10.1258/arsr.2012.120008)
 128. Hashimoto D, Hirota M, Yagi Y, Baba H: End-to-side pancreatico-jejunostomy without stiches on the pancreatic stump. *Surg Today* (Published Online Doi: 10.1007/s00595-012-0371-x)
 129. Baba Y, Watanabe M, Baba H: A review of the alterations in DNA methylation in esophageal squamous cell carcinoma. *Surg Today* (Published Online Doi: 10.1007/s00595-012-0451-y)
 130. Yoshida N, Watanabe M, Baba Y, Iwagami S, Ishimoto T, Iwatsuki M, Sakamoto Y, Miyamoto Y, Ozaki N, Baba H: Risk factors for pulmonary complications after esophagectomy for esophageal cancer. *Surg Today* (Published Online Doi 10.1007/s00595-013-0577-6)
 131. Itoyama A, Hashimoto D, Tsutsumi H, Chikamoto A, Beppu T, Sasaki Y, Baba H: Hemorrhage from pancreatic cut end into the jejunum after binding pancreatico-jejunostomy: Report of a case. *Surg Today* (Published Online Doi: 10.1007/s00595-013-0618-1)
 132. Hirashima K, Uchino R, Kume S, Iyama K, Honda Y, Asato T, Baba H: Intra-abdominal mucinous adenocarcinoma of urachal origin: report of a case. *Surg Today* (Published Online Doi: 10.1007/s00595-013-0620-7)
 133. Yoshida N, Watanabe M, Baba Y, Iwagami S, Ishimoto T, Iwatsuki M, Sakamoto Y, Miyamoto Y, Ozaki N, Baba H: Estimation of physiologic ability and surgical stress (E-PASS) can assess short-term outcome after esophagectomy for esophageal cancer. *Esophagus* (Published Online Doi:10.1007/s10388-013-0369-5)
 134. Kitano Y, Watanabe M, Iwatsuki M, Iwagami S, Kobayashi H, Ishimoto T, Ozaki N, Baba Y, Sakamoto Y, Miyamoto Y, Yoshida N, Baba H: Pleural dissemination of gastric GIST- A rare type of recurrence found in 11 years after curative resection. *Int Canc Conf J* (Published Online Doi:10.1007/s13691-013-0101-2)
 135. Qian ZR, Minassian MT, Chan JA, Imamura Y, Hooshmand AM, Kuchiba A, Morikawa T, Brais LK, Daskalova A, Heafield R, Lin X, Christiani DC, Fuchs CS, Ogino S, Kuke MH: Prognostic significance of MTOR pathway components expression in neuroendocrine tumors *J Clin Oncol* (in press)
 136. Watanabe M, Miyata H, Gotoh M, Baba H, Kimura W, Tomita N, Nakagoe T, Shimada M, Kitagawa Y, Sugihara K, Mori M: Total gastrectomy risk model: data from 20,011 Japanese patients in a nationwide internet-based database. *Ann Surg* (in press)
 137. Kimura W, Miyake H, Gotoh M, Hirai I, Kenjo A, Kitagawa Y, Shimada M, Baba H, Tomita N, Sugihara K,

- Mori M: Risk model of pancreaticoduodenectomy in 8906 cases from a nationwide single-race Japanese population using web-based data entry system. *Ann Surg* (in press)
138. Nishihara R, Morikawa T, Kuchiba A, Lochhead P, Yamauchi M, Liao X, Imamura Y, Nosho K, Shima K, Kawachi I, Qian ZR, Fuchs KS, Chan AT, Giovannucci E, Ogino S: A prospective study of duration of smoking cessation and colorectal cancer risk by epigenetics-related tumor classification. *Am J Epidemiol* (in press)
 139. Murata A, Baba Y, Watanabe M, Shigaki H, Miyake K, Ishimoto T, Iwatsuki M, Iwagami S, Sakamoto Y, Miyamoto Y, Yoshida N, Nosho K, Baba H: Methylation levels of LINE-1 in primary lesion and matched metastatic lesions of colorectal cancer. *Br J Cancer* (in press)
 140. Watanabe M, Ishimoto T, Baba Y, Nagai Y, Yoshida N, Yamanaka T, Baba H: Prognostic impact of body mass index in patients with squamous cell carcinoma of the esophagus. *Ann Surg Oncol* (in press)
 141. Ohchi K, Komohara Y, Saitoh Y, Miyamoto Y, Watanabe M, Baba H, Takeya M: CD169-positive macrophages in regional lymph nodes are associated with a favorable prognosis in patients with colorectal carcinoma. *Cancer Sci* (in press)
 142. Sakamoto K, Takamori H, Hashimoto D, Ikuta Y, Iyama K, Baba H: Not cystic pancreatic intraductal papillary mucinous neoplasm. *World J Gastroenterol Surg* (in press)
 143. Kuramoto K, Hashimoto D, Abe S, Chikamoto A, Beppu T, Iyama K, Baba H: Successful outcome following resection of a huge pancreatic liposarcoma. *J Gastroenterol Hepatol* (in press)
 144. Hayashi H, Beppu T, Masuda T, Okabe H, Imai K, Hashimoto D, Ikuta Y, Chikamoto A, Watanabe M, Baba H: A large splenic volume may be a useful predictor for partial splenic embolization-induced liver functional improvement in cirrhotic patients. *J Hepatobiliary Pancreat Sci* (in press)
 145. Hashimoto D, Chikamoto A, Ohmuraya M, Hirota M, Baba H: Pancreaticodigestive anastomosis and managements against post-operative pancreatic fistula after pancreaticoduodenectomy. *Surg Today* (in press)
 146. Yamamura S, Oda S, Utsunomiya D, Funama Y, Imuta M, Namimoto T, Hirai T, Chikamoto A, Baba H, Yamashita Y: Dynamic CT of locally advanced pancreatic cancer: Effect of low tube voltage and a hybrid iterative reconstruction algorithm on image quality. *J Comput Assist Tomogr* (in press)
 147. Hashimoto D, Takamori H, Ozaki N, Tanaka H, Hirota M, Baba H: Prediction of operative morbidity after pancreatic resection. *Hepato-Gastroenterol* (in press)
 148. Hashimoto D, Hirota M, Chikamoto A, Beppu T, Baba H: Short-term outcome of new end-to-side inserting pancreatico-jejunostomy without stiches on the pancreatic stump. *Hepato-Gastroenterol* (in press)
 149. Nitta H, Okamura S, Mizumoto T, Matsushita H, Nishimura T, Shimokawa Y, Kimura M, Baba H: Prognosis assessment of patients with refractory ascites treated with a peritoneovenous shunt. *Surg Today* (in press)
 150. Tokunaga R, Hayashi H, Masuda T, Mima K, Chikamoto A, Tanaka H, Horino K, Ishiko T, Takamori H, Beppu T, Baba H: Tumor compression-induced portal obstruction and selective transarterial chemoembolization increase functional liver volume in the unobstructed area, facilitating successful resection of a large HCC: a case report. *Int Surg* (in press)
 151. Chikamoto A, Beppu T, Miyamoto Y, Watanabe M, Ishiko T, Baba H: Current status of thermal ablation for metastatic liver tumor in the modern era of new chemotherapy. *J Microwave Surg* (in press)
 152. Sakamoto Y, Sakata K, Nakagawa S, Hashimoto D, Ikuta Y, Chikamoto A, Watanabe M, Beppu T, Baba H: A Minute nonfunctioning pancreatic neuroendocrine tumor with lymph node metastasis. *Int Canc Conf J* (in press)
 153. Furuhashi S, Takamori H, Nakahara O, Ikuta Y, Tanaka H, Horino K, Baba H: Choledochal cyst during pregnancy: case report and review of literature to analyze treatments. *Clin J Gastroenterol* (in press)
 154. Eto K, Watanabe M, Iwatsuki M, Sugihara H, Murata A, Ozaki N, Ishimoto T, Iwagami S, Baba Y, Miyamoto Y, Yoshida N, Ikeshima S, Kuramoto M, Shimada S, Baba H: Granulocyte-colony-stimulating factor producing esophageal squamous cell carcinoma: a report of 3 cases. *Int Canc Conf J* (in press)
 155. Tsuji A, Hashimoto D, Imai K, Chikamoto A, Beppu T, Baba H: Perforation of the duodenum during the retrograde cholangiopancreatography treated without surgery. *Clin J Gastroenterol* (in press)
 156. Mimori K, Yokobori T, Iwatsuki M, Sugita H, Sand J, Nordback I, Baba H, Tanaka F, Shibata K, Ishii H, Mori M: FHIT Suppresses inflammatory carcinogenic activity by inducing apoptosis in esophageal epithelial cells. *J Nucl Aci Invest* (in press)
 157. Hirota M: Parenchyma-sparing pancreatectomy for benign pancreatic neoplasms. *J Minim Invasive Surg Sci* (in press)
 158. Ida S, Matsuzakaki H, Kawashima S, Watanabe M, Akiyama Y, Baba H: Adult intestinal intussusception caused by an inflammatory myofibroblastic tumor. *Case Rep Gastroenterol* (in press)